

A bibliography of material dealing with the aquatic biodiversity of northern Australia, threats and impacts, and management

References contained in this document have been loosely organized under general themes relating to different taxonomic groups and management issues and approaches

September 2011

Brad Pusey, Tropical Rivers and Coastal Knowledge, Griffith University



Tropical Rivers and
Coastal Knowledge

River landscapes and aquatic systems diversity

- Arthington AH, Balcombe SR, Wilson GA, Thoms MC and Marshall J (2005). Spatial and temporal variation in fish-assemblage structure in isolated waterholes during the 2001 dry season of an aridzone floodplain river, Cooper Creek, Australia. *Marine and Freshwater Research* 56:25–35.
- Auricht CM (ed) (2010). Towards an Australian National Aquatic Ecosystem classification: initial report on an attribute based classification scheme. Report prepared by Auricht Projects for the Aquatic Ecosystem Task Group and the Department of Environment, Water, Heritage and the Arts.
- Brooks AP, Spencer J, Shellberg JG, Knight J and Lymburner L (2008a). Using remote sensing to quantify sediment budget components in a large tropical river—Mitchell River, Gulf of Carpentaria. In: *Sediment Dynamics in Changing Environments*, proceedings of a symposium held in Christchurch, New Zealand, December 2008, *IAHS Publ.* 325:225–237.
- Brooks AP, Knight J and Spencer J (2008b). A remote sensing approach for mapping and classifying riparian gully erosion in Tropical Australia. Final report to Land & Water Australia for project GRU37, Australian Rivers Institute, Griffith University, May 2008, 11.
- Bunn SE, Thoms MC, Hamilton SK and Capon SJ (2006). Flow variability in dryland rivers: boom, bust and the bits in between. *River Research and Applications* 22:179–186.
- Condon RA (1986). A reconnaissance erosion survey of part of the Victoria River District, NT. Consultant's report prepared for the Conservation Commission of the Northern Territory, Hassell & Associates Agricultural Consultants, Canberra.
- Cresswell I, Petheram C, Harrington I, Buetlikofer H, Hodgen M, Davies P and Li L (2009). Water resources of northern Australia. In: *Northern Australia Land and Water Science Review 2009*, Publication Number INFRA-09155, Department of Infrastructure, Transport, Regional Development and Local Government, Canberra.
- Davies PM, Bunn SE and Hamilton SK (2008). Primary production in tropical streams and rivers. In: *Tropical Stream Ecology*, Dudgeon D (ed), Academic Press, Burlington, 23–42.
- FAO (Food and Agriculture Organization of the United Nations) (2007). *The World's Mangroves 1980–2005: a Thematic Study Prepared in the Framework of the Global Forest Resources Assessment*, FAO, Rome.
- Finlayson CM (1991). Production and major nutrient composition of three grass species on the Magella floodplain, Northern Territory, Australia. *Aquatic Botany* 41:263–280.
- Geoscience Australia (2006). *Geodata Topo 250K Series 3 User Guide*, Australian Government, Canberra.

- Kennard MJ, Pusey BJ, Olden JD, Mackay SJ, Stein JL and Marsh N (2010). Classification of natural flow regimes in Australia to support environmental flow management. *Freshwater Biology* 55:171–193.
- McCloskey GL (2010). Riparian erosion morphology, processes and causes along the Victoria River, Northern Territory, Australia. PhD thesis, Charles Darwin University.
- McDonald NS and McAlpine JM (1991). Floods and droughts: the northern climate. In: *Monsoonal Australia—Landscape, Ecology and Man in the Northern Lowland*, Haynes CD, Ridpath MG and Williams MAJ (eds), Blakema Publishers, Rotterdam, 19–30.
- Neil DT, Orpin AR, Ridd PV and Yu B (2002). Sediment yield and impacts from river catchments to the Great Barrier Reef lagoon. *Marine and Freshwater Research* 53:733–752.
- NLWRA (National Land and Water Resources Audit) (2002). Catchment, river and estuary condition in Australia: a summary of the National Land and Water Resources Audit's Australian catchment, river and estuary assessment 2002, Natural Heritage Trust, Canberra.
<http://www.anra.gov.au/topics/coasts/pubs/summaryreports/catchmentcondition/pubs/catchment-condition.pdf> (Viewed by author 8 September 2010)
- Paltridge RM, Dostine PL, Humphrey CL and Boulton AJ (1997). Macroinvertebrate recolonisation after re-wetting of a tropical seasonally-flowing stream (Magel Creek, Northern Territory, Australia). *Marine and Freshwater Research* 48:633–645.
- Pusey BJ and Kennard MJ (2009). Aquatic ecosystems of Northern Australia. In: *Northern Australia Land and Water Science Review 2009*, Publication Number INFRA-09155, Department of Infrastructure, Transport, Regional Development and Local Government, Canberra.
- Pusey BJ, Kennard MJ and Arthington AH (2004). *Freshwater Fishes of North-eastern Australia*, CSIRO Publishing, Collingwood, Victoria.
- Shellberg J, Brooks A and Spencer J (2010). Land-use change from indigenous management to cattle grazing initiates, the gulying of alluvial soils in northern Australia. In: *Proceedings of the 19th World Congress of Soil Science, Soil Solutions for a Changing World*, 1–6 August 2010, published on CDROM, Brisbane, Australia, 59–62.
- Shellberg JG, Brooks AP, Spencer J, Knight J and Pietsch T (2010). Alluvial gully erosion rates and processes in Northern Queensland: an example from the Mitchell River fluvial megafan. Report produced for The Caring for Our Country (CfoC) initiative, managed by the Northern Gulf Natural Resource Management Group and Land & Water Australia, Australian Rivers Institute, Griffith University Australia.
- Wasson RJ (1994). Annual and decadal variation of sediment yield in Australia, and some global comparisons. IAHS-AISH Publication 224 (International symposium on variability in stream erosion and sediment transport, Canberra, Australia, 12–16 December 1994), 269–279.

Wasson RJ, Furlonger L, Parry D, Pietsch T, Valentine E and Williams D (2010). Sediment sources and channel dynamics, Daly River, Northern Australia. *Geomorphology* 114:161–174.

Wilson PL, Ringrose-Voase A, Jaquier D, Gregory L, Webb M, Wong MTF, Powell B, Brough D, Hill J, Lynch B, Schoknecht N and Griffin T (2009). Land and soil resources in Northern Australia. In: *Northern Australia Land and Water Science Review 2009*, Publication Number INFRA-09155, Department of Infrastructure, Transport, Regional Development and Local Government, Canberra.

Woinarski J, Mackey B, Nix H and Traill B (2007). *The Nature of Northern Australia. Natural Values, Ecological Processes and Future Prospect*, ANU E Press, Canberra.

Natural processes supporting biodiversity in tropical rivers of northern Australia

Bayliss P (1989). The population dynamics of magpie geese in relation to rainfall and density: implications for harvest models in a fluctuation environment. *Journal of Applied Ecology* 26:913–924.

Bayliss P, Bartolo R and van Dam R (2008). Quantitative ecological risk assessments for the Daly River. In: *Ecological Risk Assessment for Australia's Northern Tropical Rivers. Sub-project 2 of Australia's Tropical Rivers—an Integrated Data Assessment and Analysis (DET18)*, Bartolo R, Bayliss P and van Dam R (eds), report to Land and Water Australia, Environmental Research Institute of the Supervising Scientist, National Centre for Tropical Wetland Research, Darwin, 271–415.

Bishop KA, Pidgeon RWJ and Walden DJ (1995). Studies on fish movement dynamics in a tropical floodplain river: prerequisites for a procedure to monitor the impacts of mining. *Australian Journal of Ecology* 20:81–107.

Bolton AJ, Boyero L, Covich AP, Dobson M, Lake PS and Pearson R (2008). Are tropical streams ecologically different from temperate streams? In: *Tropical Stream Ecology*, Dudgeon D (ed), Elsevier, London, 257–284.

Brodie JE and Mitchell AW (2005). Nutrients in Australian tropical rivers: changes with agricultural development and implications for receiving environments. *Marine and Freshwater Research* 56:279–302.

Bunn SE and Arthington AH (2002). Basic principles and ecological consequences of altered flow regimes for aquatic biodiversity. *Environmental Management* 30:492–507.

Bunn SE, Davies PM and Winning M (2003). Sources of organic carbon supporting the food web of an arid zone floodplain river. *Freshwater Biology* 48:619–635.

- Bunn SE, Thoms MC, Hamilton SK and Capon SJ (2006). Flow variability in dryland rivers: boom, bust and the bits in between. *River Research and Applications* 22:179–186.
- Burford MA, Alongi DM, McKinnon AD and Trott LJ (2008). Primary production and nutrients in a tropical macrotidal estuary, Darwin Harbour, Australia. *Estuarine, Coastal and Shelf Science* 79:440–448.
- Butler B and Burrows D (2007). *Dissolved Oxygen Guidelines for Freshwater Habitats of Northern Australia*. Report 07/32. Australian Centre for Tropical Freshwater Research, James Cook University, Townsville.
- Butler B (2008). Report 5: Water Quality. In: *A Compendium of Ecological information on Australia's Northern Tropical Rivers Sub-project 1 of Australia's Tropical Rivers — an Integrated Data Assessment and Analysis (DET18)*, report to Land & Water Australia, Lukacs GP and Finlayson CM (eds), National Centre for Tropical Wetland Research, Townsville.
- Butler B, Burrows D And Loong D (2009). *Strategies for Monitoring Freshwater Habitats in the Burdekin Dry Tropics NRM region — To Establish Regional Ambient Water Quality Guidelines and Assess the Condition of Wetlands in the Lower Burdekin*. Report 09/26, Australian Centre for Tropical Freshwater Research, James Cook University, Townsville.
- Davies PM, Bunn SE and Hamilton SK (2008). Primary production in tropical streams and rivers. In: *Tropical Stream Ecology*, Dudgeon D (ed), Elsevier, London, 23–42.
- Douglas MM, Bunn SE and Davies PM (2005). River and wetland food webs in Australia's wet-dry tropics: general principles and implications for management. *Marine and Freshwater Research* 56:329–342.
- Dudgeon D (1993). The effects of spate-induced disturbance, predation and environmental complexity on macroinvertebrates in a tropical stream. *Freshwater Biology* 30:189–197.
- Finlay JC (2001). Stable-carbon-isotope ratios of river biota: implications for energy flow in lotic food webs. *Ecology* 82:1052–1064.
- Flecker AS (1992). Fish trophic guilds and the structure of a tropical stream: weak direct vs. strong indirect effects. *Ecology* 73:927–940.
- Ganf GG and Rea N (2007). Potential for algal blooms in tropical rivers of the Northern Territory, Australia. *Marine and Freshwater Research* 58:315–326.
- Halliday IA, Robins JB, Mayer DG, Staunton-Smith J and Sellin MJ (2008). Effects of freshwater flow on the year-class strength of a non-diadromous estuarine finfish, king threadfin (*Polydactylus macrochir*), in a dry-tropical estuary. *Marine and Freshwater Research* 59:157–164.
- Hamilton SK, Lewis WM and Sippel SJ (1992). Energy sources for aquatic animals in the Orinoco River floodplain: evidence from stable isotopes. *Oecologia* 89:324–330.

- Humphreys WF (2008). Rising from Down Under: developments in subterranean biodiversity in Australia from a groundwater fauna perspective. *Invertebrate Systematics* 22:85–101.
- Jenkins RWG and Forbes MA (1985). Seasonal variation in abundance and distribution of *Crocodylus porosus* in the tidal East Alligator River, Northern Australia. In: *Biology of Australasian Frogs and Reptiles*, Grigg G, Shine R and Ehmann H (eds), Surrey Beatty and Sons, in association with the Royal Zoological Society of New South Wales, Chipping Norton, New South Wales, 63–69.
- Junk WJ, Bayley PB and Sparks RE (1989). The flood pulse concept in river-floodplain systems. In: *International Large River Symposium*, Dodge DP (ed), Canadian Special Publication in Fisheries and Aquatic Sciences, 110–127.
- Layman CA, Winemiller KO, Arrington DA and Jepsen DB (2005). Body size and trophic position in a diverse tropical food web. *Ecology* 86:2530–2535.
- Leigh C and Sheldon F (2009). Hydrological connectivity drives patterns of macroinvertebrate biodiversity in floodplain rivers of the Australian wet/dry tropics. *Freshwater Biology* 54:549–571.
- Lewis WM, Hamilton SK, Rodriguez MA, Saunders JF and Lasi MA (2001). Foodweb analysis of the Orinoco floodplain based on production estimates and stable isotope data. *Journal of the North American Benthological Society* 20:241–254.
- Loneragan NR and Bunn SE (1999). River flows and estuarine ecosystems: implications for coastal fisheries from a review and a case study of the Logan River, southeast Queensland. *Australian Journal of Ecology* 24:431–440.
- Madsen T and Shine R (2000). Rain, fish and snakes: climatically driven population dynamics of Arafura filesnakes in northern Australia. *Oecologia* 124:208–215.
- Pettit NE, Froend RH and Davies PM (2001). Identifying the natural flow regime and the relationship with riparian vegetation for two contrasting western Australian rivers. *Regulated Rivers: Research and Management* 17:201–215.
- Poff NL, Allan JD, Bain MB, Karr JR, Prestegard KL, Richter BD, Sparks RE and Stromberg JC (1997). The natural flow regime: a paradigm for river conservation and restoration. *BioScience* 47:769–784.
- Pringle CM and Hamazaki T (1998). The role of omnivory in a neotropical stream: separating diurnal and nocturnal effects. *Ecology* 79:269–280.
- Pusey BJ, Kennard MJ and Arthington AH (2004). *Freshwater Fishes of North-Eastern Australia*, CSIRO, Collingwood, Australia.
- Pusey BJ, Arthington AH, Stewart-Koster B, Kennard MJ and Read MG (2010). Widespread omnivory in a freshwater fish assemblages of a hydrologically variable northern Australian river. *Journal of Fish Biology* 77:731–753.

- Robins JB, Halliday IA, Staunton-Smith J, Mayer DG and Sellin MJ (2005). Freshwater-flow requirements of estuarine fisheries in tropical Australia: a review of the state of knowledge and application of a suggested approach. *Marine and Freshwater Research* 56:343–360.
- Smith J, Burford MA, Revill AT, Haese RR and Fortune J (in review). Effect of nutrient loading on biogeochemical processes in tropical tidal creeks. *Biogeochemistry*.
- Souza MLD and Moulton TP (2005). The effects of shrimps on benthic material in a Brazilian island stream. *Freshwater Biology* 50:592–602.
- Taylor BW, Flecker AS and Hall RO (2006). Loss of a harvested fish species disrupts carbon flow in a diverse tropical river. *Science* 313:833–836.
- Townsend SA and Padovan AV (2009). A model to predict the response of the benthic macroalga *Spirogyra* to reduced base flow in the tropical Australia. *River Research and Applications* 25:1193–1203.
- Vander Zanden MJ and Fetzer WW (2007). Global patterns of aquatic food chain length. *Oikos* 116:1378–1388.
- Vannote RL, Minshall GW, Cummins KW, Sedell JR and Cushing CE (1980). The river continuum concept. *Canadian Journal of Fisheries and Aquatic Sciences* 37:130–137.
- Warfe DM, Pettit NE, Pusey BJ, Douglas MM, Davies PM and Bunn SE (in review). Environmental gradients underpin spatial concordance among multiple assemblages in tropical Australian riverscapes. *Freshwater Biology*.
- Webster IT, Rea N, Padovan AV, Dostine P, Townsend SA and Cook S (2005a). An analysis of primary production in the Daly River, a relatively unimpacted tropical river in northern Australia. *Marine and Freshwater Research* 56:303–316.
- Webster IT, Ford PW and Tillman P (2005b). Estimating nutrient budgets in tropical estuaries subject to episodic flows. *Marine Pollution Bulletin* 51:165–173.
- Winemiller KO, Montoya JV, Roelke DL, Layman CA and Cotner JB (2006). Seasonally varying impact of detritivorous fishes on the benthic ecology of a tropical floodplain river. *Journal of the North American Benthological Society* 25:250–262.
- Winemiller KO and Jepsen DB (1998). Effects of seasonality and fish movement on tropical river food webs. *Journal of Fish Biology* 53 (Suppl. A):267–296.

Plant communities of aquatic and riverine habitats

- Bayliss P, van Dam R, Boyden J and Walden D (2006). Ecological risk assessment of Magela floodplain to differentiate mining and non-mining impacts. In: *ERISS research summary 2004–2005*, Evans KG, Rovis-Hermann J, Webb A and Jones DR (eds), Supervising Scientist Report 189, Supervising Scientist, Darwin.
- Borowitzka MA (1984). Calcification of aquatic plants. *Plant, Cell and Environment* 7:457–466.
- Bowman DMJS and Wilson BA (1986). Wetland vegetation pattern on the Adelaide River flood plain, Northern Territory, Australia. *Proceedings of the Royal Society of Queensland* 97:69–77.
- Burrows D (2001). Livestock management in streams and wetlands: examples from the Burdekin catchment, north Queensland. In: *Wise Use of Wetlands in Northern Australia: Grazing Management in Wetlands and Riparian Habitats*, Myers B, McKaige M, Whitehead P and Douglas M (eds), Centre for Tropical Wetlands Management, Northern Territory University, Darwin.
- Chessman BC and Townsend SA (2010). Differing effects of catchment land use on water chemistry explain contrasting behaviour of a diatom index in tropical northern and temperate southern Australia. *Ecological Indicators* 10:620–626.
- Chong C, Edwards W and Waycott M (2007). Differences in resprouting ability are not related to seed size or seedling growth in four riparian woody species. *Journal of Ecology* 95:840–850.
- Coesel PFM (1996). Biogeography of desmids. In: *Biogeography of Freshwater Algae*, Kristiansen J (ed), Kluwer Academic Publishers, Belgium, 41–53.
- Cole, MM (1986). *The Savannas: Biogeography and Geobotany*, Academic Press, London.
- Cook G and Setterfield S (1995). Ecosystem dynamics and the management of environmental weeds in wetlands. In: *Wetland Research in the Wet-Dry Tropics of Australia*, Finlayson CM (ed), Supervising Scientist Report 101, Commonwealth of Australia, Canberra.
- Cowie ID, Short PS and Osterkamp-Madsen M (2000). *Floodplain Flora: a Flora of the Coastal Floodplains of the Northern Territory, Australia*, Australian Biological Resources Study, Government Printers, Canberra.
- Crook DA and Robertson AI (1999). Relationships between riverine fish and woody debris: implications for lowland rivers. *Marine and Freshwater Research* 50:941–953.
- Dixon IH (2006). The relationship between a riparian rapid assessment methodology and terrestrial and aquatic attributes. Thesis for Master of Tropical Environmental Management, Charles Darwin University.

- Dixon I, Dobbs R, Townsend S, Close P, Ligtermoet E, Dostine P, Duncan R, Kennard M and Tunbridge D (2010). Field trial of the Framework for the Assessment of River and Wetland Health (FARWH) in the wet/dry tropics: Daly River and Fitzroy River catchments. Unpublished report prepared for the National Water Commission, Tropical Rivers and Coastal Knowledge Consortium, Charles Darwin University, Darwin.
- Dixon I and Douglas M (2007). *Riparian Condition in the Ord River Catchment, Western Australia: Application of a Rapid Assessment Tool*, Tropical Savannas Cooperative Research Centre, Darwin.
- Dixon I, Douglas M, Dowe J and Burrows D (2006). *Tropical Rapid Appraisal of Riparian Condition, Version 1 (for Use in Tropical Savannas)*, River and Riparian Land Management Technical Guideline No. 7, Land and Water Australia, Canberra.
- Douglas M and Pouliot A (1997). A review of the impacts of the northern Australian grazing industry on wetlands and riparian habitats. In: *The Northern Australian Program: Catchment Management, Water Quality and Nutrient Flows in Northern Australia and the Northern Australian Beef Industry*, Hook R (ed), NAP Occasional Publication No. 3, Meat and Livestock Australia.
- Douglas MM, Townsend SA and Lake PS (2003). Streams. In: *Fire in Tropical Savannas: the Kapalga Experiment*, Anderson AN, Cook GD and Williams RJ (eds), Springer-Verlag, New York.
- Dowe JL (2008). Distribution and ecological preferences of riparian vegetation in northern Australia, Report 4. In: *A compendium of Ecological Information on Australia's Northern Tropical Rivers. Sub-project 1 of Australia's Tropical Rivers—an Integrated Data Assessment and Analysis (DET18)*, Lukacs GP and Finlayson CM (eds), report to Land and Water Australia, Australian Centre for Tropical Freshwater Research, National Centre for Tropical Wetland Research, Townsville, Queensland.
- Dowe J and Dixon I (2007). *Riparian Condition in the Gilbert River and Walsh River Catchments Using the Tropical Rapid Appraisal of Riparian Condition (TRARC) Method*, Australian Centre for Tropical Freshwater Research, Townsville.
- Duke NC, Ball MC and Ellison JC (1998). Factors influencing biodiversity and distributional gradients in mangroves. *Global Ecology and Biogeography Letters* 7:27–47.
- Entwisle TJ (2007). Biogeography of freshwater macroalgae. In: *Algae of Australia: Introduction* McCarthy PM and Orchard AE (eds), CSIRO Publishing, Melbourne, 566–593.
- Entwisle TJ and Nairn L (1999). Freshwater Algae—Census of Freshwater Algae in Australia (version 1.0).
http://www.rbg Syd.nsw.gov.au/science/Plant_Diversity_Research/australian_freshwater_algae

- Entwistle TJ, Skinner S, Lewis SH and Foard HJ (2007). *Algae of Australia: Batrachospermales, Thoreaales, Oedogoniales and Zygnemaceae*, Australian Biological Resource Study, CSIRO Publishing, Melbourne.
- Erskine WD, Begg GW, Jolly P, Georges A, O'Grady A, Eamus D, Rea N, Dostine P, Townsend S and Padovan A (2003). Recommended environmental water requirements for the Daly River, Northern Territory, based on ecological, hydrological and biological principles. Supervising Scientist Report 175, Supervising Scientist, Darwin.
- Ferris JM, Vyverman W, Gell P and Brown PL (2002). Diatoms as biomonitors in two temporary streams affected by acid drainage from disused mines. In: *The Finnis River: a Natural Laboratory of Mining Impacts—Past, Present and Future*, Markich SJ and Jeffree RA (eds), Australian Nuclear Science and Technology Organisation, Sydney, 26–31.
- Fielding CR, Alexander J and Newman-Sutherland E (1997). Preservation of in situ, aborescent vegetation and fluvial bar construction in the Burdekin River of north Queensland, Australia. *Palaeogeography, Palaeoclimatology, Palaeoecology* 135:123–144.
- Finlayson CM (2005). Plant ecology of Australia's tropical floodplain wetlands: a review. *Annals of Botany* 96:541–555.
- Finlayson CM, Cowie ID and Bailey BJ (1990). Characteristics of a seasonally flooded freshwater system in monsoonal Australia. In: *Wetland Ecology and Management: Case Studies*, Whigham DF, Good RE and Kvet J (eds), Kluwer Academic Publishers, Dordrecht, The Netherlands, 141–162.
- Finlayson CM, Cowie ID and Bailey BJ (1993). Biomass and litter dynamics in a *Melaleuca* forest on a seasonally inundated floodplain in tropical, northern Australia. *Wetlands Ecology and Management* 2:177–188.
- Franklin DC, Brocklehurst PS, Lynch D and Bowman DMJS (2007). Niche differentiation and regeneration in the seasonally flooded *Melaleuca* forests of northern Australia. *Journal of Tropical Ecology* 23:457–467.
- Gilman EL, Ellison J, Duke NC and Field C (2008). Threats to mangroves from climate change and adaptation options: a review. *Aquatic Botany* 89:237–250.
- Grice A (2001). Weeds in wetlands: Threats and opportunities. In: *Wise Use of Wetlands in Northern Australia: Grazing Management in Wetlands and Riparian Habitats*, Myers B, McKaige M, Whitehead P and Douglas M (eds), Centre for Tropical Wetlands Management, Northern Territory University, Darwin.
- Grice AC (2004). Weeds and the monitoring of biodiversity in Australian rangelands. *Austral Ecology* 29:51–58.
- Lamontagne S, Cook PG, O'Grady A and Eamus D (2005). Groundwater use by vegetation in a tropical savanna riparian zone (Daly River, Australia). *Journal of Hydrology* 310:280–293.

- Lane AM, Williams RJ, Muller WJ and Lonsdale WM (1997). Native seedbanks of floodplain vegetation of three northern Australian river systems: assessing the effects of the woody weed *Mimosa pigra*, and the herbicide tebuthiuron. *Australian Journal of Ecology* 22:439–447.
- Ling HU and Tyler PA (1985). *Amscottia gulungulana* sp. nov (Desmidiaceae) from Tropical Australia. *British Phycological Journal* 20:335–339.
- NTG (Northern Territory Government) (2009). *Weed Risk Assessment*, Northern Territory Government, Darwin.
- Panton B (2001). Strategic stock exclusion fencing—who’s responsible? In: *Wise Use of Wetlands in Northern Australia: Grazing Management in Wetlands and Riparian Habitats*, Myers B, McKaige M, Whitehead P and Douglas M (eds), Centre for Tropical Wetlands Management, Northern Territory University, Darwin.
- Pettit NE and Froend RH (2001). Variability in flood disturbance and the impact on riparian tree recruitment in two contrasting river systems. *Wetland Ecology and Management* 9:13–25.
- Pettit NE, Froend RH and Davies PM (2001). Identifying the natural flow regime and the relationship with riparian vegetation for two contrasting Western Australian rivers. *Regulated Rivers: Research and Management* 17:201–215.
- Pusey BJ and Arthington AH (2003). Importance of the riparian zone to the conservation and management of freshwater fish: a review. *Marine and Freshwater Research* 54:1–16.
- Pusey BJ and Kennard MJ (2009). Aquatic ecosystems in Northern Australia. In: *Northern Australia Land and Water Science Review*, Stone P (ed), Chapter 3, final report to the Northern Australia Land and Water Taskforce, CSIRO Publishing, Canberra.
- Rea N and Storrs MJ (1999). Weed invasion in wetlands of Australia’s Top End: reasons and solutions. *Wetlands Ecology and Management* 7:47–62.
- Saintilan N (ed) (2009). *Australian Saltmarsh Ecology*, CSIRO Publishing, Collingwood, Victoria.
- Thomasson K (1986). Algal vegetation in north Australian billabongs. *Nova Hedwigia* 42:301–378.
- Townsend SA and Gell PA (2005). The role of substrate type on benthic diatom assemblages in the Daly and Roper Rivers of the Australian wet/dry tropics. *Hydrobiologia* 548:101–115.
- Tyler PA (1996). Endemism in freshwater algae. In: *Biogeography of Freshwater Algae*, Kristiansen J (ed), Kluwer Academic Publishers, Belgium, 127–135.
- Valentine L and Schwarzkopf L (2008). Effects of weed-management burning on reptile assemblages in Australian tropical savannas. *Conservation Biology* 23:103–113.

Valentine LE, Schwarzkopf L, Johnson C and Grice AC (2007). Burning season influences the response of bird assemblages to fire in tropical savannas. *Biological Conservation* 137:90–101.

Vyverman W, Verleyen E and Sabbe K (2007). Biogeography of freshwater microalgae. In: *Algae of Australia: Introduction*, McCarthy PM and Orchard AE (eds), CSIRO Publishing, Melbourne, 580–593.

Wetzel RG (1983). *Limnology*, Saunders College Publishing, Philadelphia.

Williams AR (1979). Vegetation and stream pattern as indicators of water movement on the Magela floodplain, Northern Territory. *Australian Journal of Ecology* 4:239–247.

Aquatic invertebrates

Ahyong S and Yeo D (2007). Feral populations of the Australian Red-Claw crayfish (*Cherax quadricarinatus* von Martens) in water supply catchments of Singapore. *Biological Invasions* 9: 943–946.

Arthington AH (1990). Latitudinal gradients in insect species richness of Australian lotic systems: a selective review. *Tropical Freshwater Biology* 2: 179–196.

Baker AM, Bartlett C, Bunn SE, Goudkamp K, Sheldon F and Hughes JM (2003). Cryptic species and morphological plasticity in long-lived bivalves (Unionoida: Hyriidae) from inland Australia. *Molecular Ecology* 12: 2707–2717.

Benson LJ and Pearson RG (1988). Diversity and seasonality of adult Trichoptera captured in a light-trap at Yuccabine Creek, a tropical Australian rainforest stream. *Australian Journal of Ecology* 13: 337–344.

Bishop KA, Allen SA, Pollard DA and Cook MG (2001). *Ecological Studies on the Fishes of the Alligator Rivers Region, Northern Territory: Autecology*, Supervising Scientist Report 145, Office of the Supervising Scientist, Canberra.

Connolly NM, Christidis F, McKie B, Boyero L and Pearson RG (2008). Diversity of invertebrates in Wet Tropics streams: patterns and processes. In: *Living in a Dynamic Tropical Forest Landscape*, Stork N and Turton S (eds), Blackwell, London.

Cranston PS (2000). August Thienemann's influence on modern chironomidology—an Australian perspective. *Internationale Vereinigung für Theoretische und Angewandte Limnologie Verhandlungen* 27: 278–283.

Dean J and Cartwright D (1987). Trichoptera of a Victorian forest stream: species composition and life histories. *Marine and Freshwater Research* 38: 845–860.

- Dean JC, St Clair RM and Cartwright DI (2004). Identification keys to Australian families and genera of caddis fly larvae (Trichoptera). *Identification and Ecology Guide No. 50*, Co-operative Research Centre for Freshwater Ecology, Albury.
- Dostine PL and Morton SR (1989). Feeding ecology of the Whiskered Tern, *Chlidonias hybrida*, in the Alligator Rivers Region, Northern Territory. *Australian Wildlife Research* 16: 549–562.
- Douglas MM and O'Connor RA (2003). Effects of the exotic macrophyte, para grass (*Urochloa mutica*), on benthic and epiphytic macroinvertebrates of a tropical floodplain. *Freshwater Biology* 48: 962–971.
- Douglas MM, Townsend SA and Lake PS (2003). Streams. In: *Fire in Tropical Savannas: the Kapalga Experiment*, vol. 169, Anderson AN, Cook GD and Williams RJ (eds), Springer, New York.
- Faith DP, Dostine PL and Humphrey CL (1995). Detection of mining impacts on aquatic macroinvertebrate communities: results of a disturbance experiment and the design of a multivariate BACIP monitoring programme at Coronation Hill, Northern Territory. *Australian Journal of Ecology* 20: 167–180.
- Faith DP, Humphrey CL and Dostine PL (1991). Statistical power and BACI designs in biological monitoring: comparative evaluation of measures of community dissimilarity based on benthic macroinvertebrate communities in Rockhole Mine Creek, Northern Territory, Australia. *Australian Journal of Marine and Freshwater Research* 42: 589–602.
- Finlayson CM, Lowry J, Bellio MG, Nou S, Pidgeon R, Walden D, Humphrey C and Fox G (2006). Biodiversity of the wetlands of the Kakadu Region, northern Australia. *Aquatic Sciences* 68: 374–399.
- Greenaway P, Bonaventura J and Taylor HH (1983). Aquatic gas exchange in Australian freshwater/land crabs *Holthuisana transversa*. *Journal of Experimental Biology* 103: 225–236.
- Gunn B (1997). The macroinvertebrate colonisation of the tropical, seasonally-inundated Magela Creek floodplain. *Internal report 250*. Supervising Scientist, Canberra.
- Hardwick RA, Cooper PD, Cranston PS, Humphrey CL and Dostine PL (1995). Spatial and temporal distribution patterns of drifting pupal exuviae of Chironomidae (Diptera) in streams of tropical northern Australia. *Freshwater Biology* 34: 569–578.
- Harvey MS (1998). The Australian water mites. A guide to families and genera. In: *Monographs on Invertebrate Taxonomy*, vol. 4, CSIRO Publishing, Collingwood, Victoria.
- Holzenthal RW, Blahnik RJ, Prather AL and Kjer KM (2007). Order Trichoptera Kirby, 1813 (Insecta), caddisflies. *Zootaxa* 1668: 639–698.
- Horwitz P (1990). The translocation of freshwater crayfish in Australia: potential impact, the need for control and global relevance. *Biological Conservation* 54: 291–305.

- Houston WWK and Watson JAL (1988). Odonata. In: *Zoological Catalogue of Australia, Volume 6. Ephemeroptera, Megaloptera, Odonata, Plecoptera, Trichoptera*, Houston WWK (ed), Australian Government Publishing Service, Canberra.
- Hughes J, Baker AM, Bartlett C, Bunn S, Goudkamp K and Somerville J (2004). Past and present patterns of connectivity among populations of four cryptic species of freshwater mussels *Velesunio* spp. (Hyriidae) in central Australia. *Molecular Ecology* 13: 3197–3212.
- Humphrey CL, Bishop KA and Brown VM (1990). Use of biological monitoring in the assessment of effects of mining wastes on aquatic ecosystems of the Alligator Rivers Region, tropical northern Australia. *Environmental Monitoring and Assessment* 14: 139–181.
- Humphrey CL and Dostine PL (1994). Development of biological monitoring programs to detect mining-waste impacts upon aquatic ecosystems of the Alligator Rivers Region, Northern Territory, Australia. *Mitteilungen Internationale Vereinigung für theoretische und angewandte Limnologie* 24: 293–314.
- Humphrey CL, Faith DP and Dostine PL (1995). Baseline requirements for assessment of mining impact using biological monitoring. *Australian Journal of Ecology* 20: 150–166.
- Humphrey CL, Martin P and leGras C (2002). Use of the freshwater mussel, *Velesunio angasi*, in the monitoring and assessment of mining impact in Top End streams. In: *The Finnis River: A Natural Laboratory of Mining Impacts—Past, Present and Future*, vol. report E/748, Markich SJ and Jeffree RA (eds), Australian Nuclear Science & Technology Organisation, Sydney.
- Humphrey CL and Simpson RD (1985). The biology and ecology of *Velesunio angasi* (Bivalvia: Hyriidae) in the Magela Creek, Northern Territory (4 parts), *Open File Record 38*, Supervising Scientist for the Alligator Rivers Region, Canberra.
- Humphrey CL, Storey AW and Thurtell L (2000). AUSRIVAS: operator sample processing errors and temporal variability—implications for model sensitivity. I: *Assessing the Biological Quality of Freshwaters: RIVPACS and Other Techniques*, Wright JF, Sutcliffe DW and Furse MT (eds), Freshwater Biological Association, Ambleside.
- Humphrey CL, Thurtell L, Pidgeon RWJ, van Dam RA and Finlayson CM (1999). A model for assessing the health of Kakadu's streams. *Australian Biologist* 12: 33–42.
- Kalkman VJ, Clausnitzer V, Dijkstra KDB, Orr AG, Paulson DR and van Tol J (2008). Global diversity of dragonflies (Odonata) in freshwater. *Hydrobiologia* 595: 351–363.
- Leigh C and Sheldon F (2009). Hydrological connectivity drives patterns of macroinvertebrate biodiversity in floodplain rivers of the Australian wet dry tropics. *Freshwater Biology* 54: 549–571.
- Leigh C, Burford MA, Sheldon F and Bunn SE (2010). Dynamic stability in dry season food webs within tropical floodplain rivers. *Marine and Freshwater Research* 61:357–368.

- Lynch RJ, Bunn SE and Catterall CP (2002). Adult aquatic insects: Potential contributors to riparian food webs in Australia's wet-dry tropics. *Austral Ecology* 27: 515–526.
- Marchant R (1982). Seasonal variations in the macroinvertebrate fauna of billabongs along Magela Creek, Northern Territory. *Marine and Freshwater Research* 33: 329–342.
- Marchant R and Ryan D (2006). Distribution maps for aquatic insects from Victorian rivers and streams: Ephemeropteran and Plecopteran nymphs and Trichopteran larvae. *Museum Victoria Science Reports* 8: 1–171.
- McGuinness K (2003). Estimating the power of the ARR monitoring protocols: the MBACI(P) design. *Internal Report 423*, Supervising Scientist, Darwin.
- Munasinghe DHN, Burrige CP and Austin CM (2004). Molecular phylogeny and zoogeography of the freshwater crayfish genus *Cherax* Erichson (Decapoda: Parastacidae) in Australia. *Biological Journal of the Linnean Society* 81: 553–563.
- Outridge PM (1987). Possible causes of high species diversity in tropical Australian freshwater macrobenthic communities. *Hydrobiologia* 150: 95–107.
- Outridge PM (1988). Seasonal and spatial variations in benthic macroinvertebrate communities of Magela Creek, Northern Territory. *Australian Journal of Marine and Freshwater Research* 39: 211–223.
- Page TJ, Short JW, Humphrey CL, Hillyer MJ and Hughes JM (2008). Molecular systematics of the Kakaducarididae (Crustacea: Decapoda: Caridea). *Molecular Phylogenetics and Evolution* 46: 1003–1014.
- Paltridge RM, Dostine PL, Humphrey CL and Boulton AJ (1997). Macroinvertebrate recolonization after re-wetting of a tropical seasonally-flowing stream (Magela Creek, Northern Territory, Australia). *Marine and Freshwater Research* 48: 633–645.
- Pearson RG and Boyero L (2009). Gradients in regional diversity of freshwater taxa. *Journal of the North American Benthological Society* 28: 504–514.
- Pearson RG and Penridge LK (1979). First records of *Prosopistoma sedlaceki* in Australia (Ephemeroptera: Prosopistomatidae). *Australian Journal of Entomology* 18: 362–362.
- Ponder WF and Bayer M (2004). A new species of *Lortiella* (Mollusca: Bivalvia: Unionoidea: Hyriidae) from northern Australia. *Molluscan Research* 24: 89–102.
- Ponder WF, Wells FE and Solem A (1998). Distribution and affinities of non-marine molluscs. In: *Mollusca: The Southern Synthesis. Fauna of Australia*, vol. 5, Beesley PL, Ross GJB and Wells A (eds), CSIRO Publishing, Melbourne.
- Ribera I, Vogler AP and Balke M (2008). Phylogeny and diversification of diving beetles (Coleoptera: Dytiscidae). *Cladistics* 24: 563–590.

- Schofield NSJ and Davies PE (1996). Measuring the health of our rivers. *Water* 23: 39–43.
- Sheldon AL and Theischinger G (2009). Stoneflies (Plecoptera) in a tropical Australian stream: diversity, distribution and seasonality. *Illiesia* 5: 40–50.
- Shiel RJ and Williams WD (1990). Species richness in tropical fresh waters of Australia. *Hydrobiologia* 202: 175–183.
- Short JW (2004). A revision of Australian river prawns, *Macrobrachium* (Crustacea: Decapoda: Palaemonidae). *Hydrobiologia* 525: 1–100.
- Smith M (1994). Monitoring recovery: the effect of acidity on aquatic invertebrate communities. In: *Open File Record 111*, Supervising Scientist for the Alligator Rivers Region, Canberra.
- Smith M and Cranston P (1995). Recovery of an acid mine-waste impacted tropical stream: the chironomid story. In: *Chironomids, from Genes to Ecosystems. 12th International Symposium on Chironomidae*, January 1994, Canberra, Cranston P (ed), CSIRO Publications, Melbourne, pp. 161–173.
- Suter PJ (2001). *Platybaetis gagadjuensis*, a new species from northern Australia (Ephemeroptera: Baetidae). In: *Trends in Research in Ephemeroptera and Plecoptera*, Dominguez E (ed), Kluwer Academic/Plenum Publishers, New York.
- Suter PJ (2007). Order Ephemeroptera. *Australian Faunal Directory*. Australian Biological Resources Study, Canberra.
- Theischinger G and Hawking J (2006). *The Complete Field Guide to Dragonflies of Australia*. CSIRO Publishing. Collingwood, Victoria.
- Tripodi E (1997). Temporal and spatial variations in the macroinvertebrate communities of the seasonally flowing portions of Magela Creek, Northern Territory. *Internal report 240*. Supervising Scientist, Canberra.
- Vinson MR and Hawkins CP (2003). Broad-scale geographical patterns in local stream insect genera richness. *Ecography* 26: 751–767.
- Walker KF (1981). The distribution of freshwater mussels (Mollusca, Pelecypoda) in the Australian zoogeographic region. In: *Ecological Biogeography of Australia*, Keast A (ed), W Junk, The Hague.
- Watson JAL and Abbey HM (1980). Dragonflies (Odonata) from the Northern Territory : a provisional synopsis, with a key to adults, notes on the biology and distribution of species, and a section dealing with species known from the Alligator Rivers uranium province. In: *CSIRO Division of Entomology Report*, CSIRO Division of Entomology, Canberra.
- Watson JAL, Theischinger G and Abbey HM (1991). *The Australian Dragonflies. A Guide to the Identification, Distributions and Habitats of Australian Odonata*. CSIRO, Canberra.

- Webb JM and Suter PJ (2010). Revalidation and redescription of *Bungona illiesi* (Lugo-Ortiz and McCafferty) (Ephemeroptera: Baetidae) from Australia, based on mitochondrial and morphological evidence. *Zootaxa* 2481: 37–51.
- Wells A (1991). A guide to the caddisflies (Trichoptera) of the Alligator Rivers Region, Northern Territory. In: *Open File Record 84*, Supervising Scientist for the Alligator Rivers Region, Canberra.
- Wells A and Cartwright DI (1993). Trichoptera, Ephemeroptera, Plecoptera and Odonata of the Jardine River area, Cape York Peninsula, Northern Queensland. In: *Cape York Peninsula Scientific Expedition Wet Season 1992*, Royal Geographical Society of Queensland, Brisbane.
- Wells A (2008). Order Trichoptera. *Australian Faunal Directory*. Australian Biological Resources Study, Canberra.
- Wilson GDF, Humphrey CL, Colgan DJ, Gray KA and Johnson RN (2009). Monsoon-influenced speciation patterns in a species flock of *Eophreatoicus* Nicholls (Isopoda; Crustacea). *Molecular Phylogenetics and Evolution* 51: 349–364.
- Woinarski JCZ (1993). The status of herpetofauna and herpetology in the Northern Territory. In: *Herpetology in Australia: A Diverse Discipline*, Lunney D and Ayers D (eds), Transactions of the Royal Zoological Society of New South Wales, Sydney.
- Woinarski JCZ, Hempel C, Cowie I, Brennan K, Kerrigan R, Leach G and Russell-Smith J (2006). Distributional pattern of plant species endemic to the Northern Territory, Australia. *Australian Journal of Botany* 54: 627–640.
- Yeo DCJ, Ng PKL, Cumberlidge N, Magalhães C, Daniels SR and Campos MR (2008). Global diversity of crabs (Crustacea: Decapoda: Brachyura) in freshwater. *Hydrobiologia* 595: 275–286.

Freshwater fish

- Allen GR, Midgley SH and Allen M (2002). *Field Guide to the Freshwater Fishes of Australia*, Western Australian Museum, Perth.
- Bishop KA and Forbes MA (1991). The freshwater fishes of northern Australia. In: Haynes CD, Ridpath MG and Williams MA (eds). *Monsoonal Australia: Landscape, Ecology and Man in the Northern Lowlands*, A.A. Balkema, Rotterdam, pp. 79–108.
- Bishop KA, Pidgeon RWJ and Walden DJ (1995). Studies on fish movement dynamics in a tropical floodplain river: prerequisites for a procedure to monitor the impacts of mining. *Australian journal of Ecology* 20: 81–107.

- Bishop KA, Allen SA, Pollard DA and Cook MG (2001). Ecological studies on the freshwater fishes of the Alligator Rivers region, Northern Territory. Report 145, Supervising Scientist for the Alligator Rivers Region, Australian Government Publishing Service, Canberra. Available at www.environment.gov.au/ssd.
- Blaber SJM (2000). *Tropical Estuarine Fishes. Ecology, Exploitation and Conservation*, Blackwell Pty Ltd, Oxford.
- Bostock BM, Adams M, Laurenson LJB and Austin CM (2006). The molecular systematics of *Leiopotherapon unicolor* (Gunther, 1859): testing for cryptic speciation in Australia's most widespread freshwater fish. *Biological Journal of the Linnean Society* 87: 537–552.
- Chenoweth SF, Hughes JM, Keenan CP and Lavery S (1998a). When oceans meet: a teleost shows secondary intergradation at an Indian-Pacific interface. *Proceedings of the Royal Society of London Series B* 265: 415–420.
- Chenoweth SF, Hughes JM, Keenan CP and Lavery S (1998b). Concordance between dispersal and mitochondrial gene flow: isolation by distance in a tropical teleost, *Lates calcarifer* (Australian barramundi). *Heredity* 80: 187–197.
- Chivas AR, Garcia A, van der Kaars S, Couapel MJJ, Holt S, Reeves JM, Wheeler DJ, Switzer AD, Murray-Wallace CV, Banerjee D, Price DM, Wang SX, Pearson G, Edgar NT, Beaufort L, de Deckker P, Lawson E and Cecil CB (2001). Sea-level and environmental changes since the last interglacial in the Gulf of Carpentaria, Australia: an overview. *Quaternary International* 83: 19–46.
- Compagno LJV and Cook SF (1995). The exploitation and conservation of freshwater elasmobranchs: status of taxa and prospects for the future. *Journal of Aquaculture and Aquatic Sciences* 12: 62–90.
- Cook BD and Hughes JM (2010). Historical population connectivity and fragmentation in a tropical freshwater fish with a disjunct distribution (pennyfish, *Denarius bandata*). *Journal of the North American Benthological Society* 29: 1119–1131.
- Cook BD, Kennard MJ, Real K, Pusey BJ and Hughes JM (2010). Landscape genetic analysis of the tropical freshwater fish *Mogurnda mogurnda* (Eleotridae) in a monsoonal river basin: importance of hydrographic factors and population history. *Freshwater Biology*, doi:10.1111/j.1365-2427.2010.02527.x.
- Davis AM, Pusey BJ, Thorburn DC, Dowe JL, Morgan D and Burrows D (2010) Riparian contributions to the diet of terapontid grunters (Pisces: Terapontidae) in wet–dry tropical rivers. *Journal of Fish Biology* 76: 862–879.
- Doupe RG, Horwitz P and Lymbery AJ (1999). Mitochondrial genealogy of Western Australian barramundi: applications of inbreeding coefficients and coalescent analysis for separating temporal population processes. *Journal of Fish Biology* 54: 1197–1209.

- Huey JA, Baker AM and Hughes JM (2008). The effect of landscape processes upon gene flow and genetic diversity in an Australian freshwater fish, *Neosilurus hyrtlui*. *Freshwater Biology* 53: 1393–1408.
- Huey JA, Baker AM and Hughes JM (2010). High levels of genetic structure in the Australian freshwater fish, *Ambassis macleayi*. *Journal of the North American Benthological Society* 29: 1148–1160.
- IUCN (International Union for Conservation of Nature) (2010). *IUCN Red List of Threatened Species*. Version 2010.3. IUCN, Gland, Switzerland and Cambridge. Available at www.iucnredlist.org.
- Keenan CP (1994). Recent evolution of population structure in Australian barramundi, *Lates calcarifer* (Bloch): an example of isolation by distance in one dimension. *Australian Journal of Marine and Freshwater Research* 45: 1123–1148.
- Keenan C (1999). Should we allow human-induced migration of the Indo-West Pacific fish, barramundi *Lates calcarifer* (Bloch) within Australia? *Aquaculture Research* 31: 121–131.
- Kennard MJ (1995). Factors influencing freshwater fish assemblages in floodplain lagoons of the Normanby River, Cape York Peninsula: a large tropical Australian River. Unpublished PhD thesis, Griffith University, Brisbane.
- Kennard, MJ, Pusey BJ and Arthington AH (2001). *Trophic Ecology of freshwater fishes in Australia*, CRC Freshwater Ecology Scoping Study SCD6, CRC for Freshwater Ecology, Melbourne.
- Kennard MJ (2010a). Identifying high conservation value aquatic ecosystems in northern Australia. Final Report for the Australian Government Department of Environment, Water, Heritage and the Arts and the National Water Commission, Tropical Rivers and Coastal Knowledge (TRaCK) Commonwealth Environmental Research Facility, Australian Rivers Institute, Griffith University, Brisbane.
- Kennard MJ, Pusey BJ, Olden JD, Mackay SJ, Stein JL, Marsh N (2010b). Classification of natural flow regimes in Australia to support environmental flow management. *Freshwater Biology* 55: 171–193.
- Larson HK (1999). Report to Parks Australia North, on the estuarine fish inventory of Kakadu National Park, Northern Territory, Australia. Research Report No. 5, Museum and Art Gallery of the Northern Territory, Darwin.
- Last PR and Manjaji-Matsumoto BM (2008). *Himantura dalyensis* sp. nov., a new estuarine whipray (Myliobatoidei: Dasyatidae) from northern Australia. *CSIRO Marine and Atmospheric Research Paper* 22: 283–291.
- Last PR and Stevens JD (2009). *Sharks and Rays of Australia* (2nd edition), CSIRO Publishing, Collingwood.

- Masci KD, Ponniah M and Hughes JM (2008). Patterns of connectivity between the Lake Eyre and Gulf drainages, Australia: a phylogeographic approach. *Marine and Freshwater Research* 59: 761–760.
- Peeverell SC (2005). Distribution of sawfishes (Pristidae) in the Queensland Gulf of Carpentaria, Australia, with notes on sawfish ecology. *Environmental Biology of Fishes* 73: 391–402.
- Phillips RD, Storey AW and Johnson MS (2009). Genetic structure of *Melanotaenia australis* at local and regional scales in the east Kimberley, Western Australia. *Journal of Fish Biology* 74: 437–451.
- Pillans RD, Stevens JD, Kyne PM and Salini J (2010). Observations on the distribution, biology, short-term movements and habitat requirements of river sharks *Glyphis* spp. in northern Australia. *Endangered Species Research* 10: 321–332.
- Pusey BJ and Kennard MJ (1996). Species richness and geographical variation in assemblage structure of the freshwater fish fauna of the wet tropics region of northern Queensland. *Marine and Freshwater Research* 47 (3): 563–573.
- Pusey BJ, Arthington AH and Read MG (1998). Freshwater fishes of the Burdekin River, Australia: biogeography, history and spatial variation in community structure. *Environmental Biology of Fishes* 53: 303–318.
- Pusey BJ, Arthington AH and Kennard MJ (2004a). Hydrological regime and its influence on broadscale patterns of fish diversity in north-eastern Australian rivers. In: *Proceedings of the Fifth International Symposium on Ecohydraulics. Aquatic habitats, analysis and restoration*, Madrid, September 2004.
- Pusey BJ, Kennard MJ and Arthington AH (2004b). *Freshwater Fishes of North-eastern Australia*, CSIRO Publishing, Melbourne.
- Shaklee JB and Salini J (1985). Genetic variation and population subdivision in Australian barramundi, *Lates calcarifer* (Bloch). *Australian Journal of Marine and Freshwater Research* 36: 203–218.
- Taniuchi T, Shimizu M, Sano M, Baba O and Last PR (eds.) (1991). Description of freshwater elasmobranchs collected from three river systems in northern Australia. *University Museum, University of Tokyo, Nature and Culture* 3: 11–26.
- Thorburn DC, Peeverell S, Stevens JD, Last PR and Rowland A (2003). Status of freshwater and estuarine elasmobranchs in northern Australia. Report to the Natural Heritage Trust, Murdoch University, Perth.
- Thorburn DC and Morgan DL (2004). The northern river shark *Glyphis* sp. C (Carcharhinidae) discovered in Western Australia. *Zootaxa* 685: 1–8.

- Thorburn DC, Morgan DL, Rowland AJ and Gill HS (2007). Freshwater sawfish *Pristis microdon* Latham, 1794 (Chondrichthyes: Pristidae) in the Kimberley region of Western Australia. *Zootaxa* 1471: 27–41.
- Unmack PJ (2001) Biogeography of Australian Freshwater Fishes. *Journal of Biogeography* 28: 1052–1089.
- Unmack PJ and Dowling TE (2010). Biogeography of the genus *Craterocephalus* (Teleostei: Atherinidae) in Australia. *Molecular Phylogenetics and Evolution* 55: 968–984.
- White WT and Kyne PM (2010). The status of chondrichthyan conservation in the Indo-Australasian region. *Journal of Fish Biology* 76: 2090–2117.
- Wintner SP, Dudley SFJ, Kistnasamy N and Everett B (2002). Age and growth estimates for the Zambezi shark, *Carcharhinus leucas*, from the east coast of South Africa. *Marine and Freshwater Research* 53: 557–566.
- Whitty JM, Morgan DL, Peverell SC, Thorburn DC and Beatty SJ (2009). Ontogenetic depth partitioning by juvenile freshwater sawfish (*Pristis microdon*: Pristidae) in a riverine environment. *Marine and Freshwater Research* 60: 306–316.

Amphibians and reptiles

- Alford RA, Brown GP, Schwarzkopf L, Phillips B and Shine R (2009). Comparisons through time and space suggest rapid evolution of dispersal behaviour in an invasive species. *Wildlife Research* 36:23–28.
- Bauer AM and Jackman T (2008). Global diversity of lizards in freshwater (Reptilia: Lacertilia). *Hydrobiologia* 595:581–586.
- Bayliss P, Webb GJW, Whitehead J, Dempsey K and Smith A (1986). Estimating the abundance of saltwater crocodiles, *Crocodylus porosus* Schneider, in tidal wetlands of the Northern Territory: a mark-recapture experiment to correct spotlight counts to absolute numbers, and the calibration of helicopter and spotlight counts. *Australian Wildlife Research* 13:309–20.
- Bedford GS and Christian KA (2001). Metabolic response to feeding and fasting in the water python (*Liasis fuscus*). *Australian Journal of Zoology* 49:379–387.
- Bour R (2008) Global diversity of turtles (Chelonii; Reptilia) in freshwater. *Hydrobiologia* 595:593–598.
- Braithwaite RW, Freind GR and Wombey JC (1991). Reptiles and amphibians. In: *Monsoonal Australia—Landscape, Ecology and Man in the Northern Lowlands*, Haynes CD, Ridpath MG and Williams MAJ (eds), Blakema Publishers, Rotterdam, 109–124.

- Brown GP and Shine R (2002a). Influence of weather conditions on activity of tropical snakes. *Austral Ecology* 27:596–605.
- Brown GP and Shine R (2002b). Reproductive ecology of a tropical natricine snake, *Tropidonophis mairii* (Colubridae). *Journal of Zoology* 258:63–72.
- Brown GP and Shine R (2004). Maternal nest-site choice and offspring fitness in a tropical Snake (*Tropidonophis mairii*, Colubridae). *Ecology* 85: 1627–1634.
- Brown GP and Shine R (2005a). Female phenotype, life history, and reproductive success in free-ranging snakes (*Tropidonophis mairii*). *Ecology* 86:2763–2770.
- Brown GP and Shine R (2005b). Nesting snakes (*Tropidonophis mairii*, Colubridae) selectively oviposit in sites that provide evidence of previous successful hatching. *Canadian Journal of Zoology* 83:1134–1137.
- Brown GP and Shine R (2006). Effects of nest temperature and moisture on phenotypic traits of hatchling snakes (*Tropidonophis mairii*, Colubridae) from tropical Australia. *Biological Journal of the Linnean Society* 89:159–168.
- Brown GP, Phillips BL, Webb JK and Shine R (2006). Toad on the road: use of roads as dispersal corridors by cane toads (*Bufo marinus*) at an invasion front in tropical Australia. *Biological Conservation* 133:88–94.
- Brown GP and Shine R (2007). Rain, prey and predators: climatically driven shifts in frog abundance modify reproductive allometry in a tropical snake. *Oecologia* 154:361–368.
- Cogger HG (2000). *Reptiles and Amphibians of Australia* (6th edn), Ralph Curtis Publishing, Sanibel Island.
- Compton AW (1981). Courtship and nesting behaviour of the freshwater crocodile, *Crocodylus johnstoni*, under controlled conditions. *Australian Wildlife Research* 8:443–50.
- Crossland MR, Brown GP, Anstis M, Shilton C and Shine R (2008). Mass mortality of native anuran tadpoles in tropical Australia due to the invasive cane toad (*Bufo marinus*). *Biological Conservation* 141:2387–2394.
- Doody JS, Green B, Sims R, Rhind D, West P and Steer D (2006). Indirect impacts of invasive cane toads (*Bufo marinus*) on nest predation in pig-nosed turtles. *Wildlife Research* 33:349–354.
- Doody JS, Green B, Rhind D, Castellano CM, Sims R and Robinson T (2009). Population-level declines in Australian predators caused by an invasive species. *Animal Conservation* 12:46–53.
- Doughty P, Anstis M and Price LC (2009). A new species of *Crinia* (Anura: Myobatrachidae) from the high rainfall zone of the northwest Kimberley, Western Australia. *Records of the Western Australian Museum* 25:127–144.

- Edwards DL (2007). Biogeography and speciation of a direct developing frog from the coastal arid zone of Western Australia. *Molecular Phylogenetics and Evolution* 45:494–505.
- Elsworth PG, Seerbacher F and Franklin CE (2003). Sustained Swimming Performance in Crocodiles (*Crocodylus porosus*): Effects of body size and temperature. *Journal of Herpetology* 37:363–368.
- Finlayson CM, Lowry J, Bellio MG, Nou S, Pidgeon R, Walden G, Humphrey C and Fox G (2006). Biodiversity of the wetlands of the Kakadu Region, northern Australia. *Aquatic Sciences* 68:374–399.
- Fordham D, Georges A and Corey B (2006). Compensation for inundation-induced embryonic diapause in a freshwater turtle: Achieving predictability in the face of environmental stochasticity. *Functional Ecology* 20:670–677.
- Fritz U and Havaš P (2007) Checklist of chelonians of the world. *Vertebrate Zoology (Dresden)* 57:149–368.
- Georges A (1992). Thermal characteristics and sex determination in field nests of the pig-nosed turtle *Carettochelys insculpta* (Chelonia: Carettochelydidae) from northern Australia. *Australian Journal of Zoology* 40:511–521.
- Georges A, Limpus CJ and Parmenter CJ (1993). Natural history of the Chelonia. In: *Fauna of Australia—Volume 2A: Amphibia and Reptilia*, Glasby CG, Ross GJB and Beesley PL (eds), Australian Government Publishing Service, Canberra.
- Georges A and Thomson S (2010). Diversity of Australasian freshwater turtles, with an annotated synonymy and keys to species. *Zootaxa* 2496:1–37.
- Greenlees MJ, Brown GP, Webb JK, Phillips BL and Shine R (2006). Effects of an invasive anuran (the cane toad, *Bufo marinus*) on the invertebrate fauna of a tropical Australian floodplain. *Animal Conservation* 9:431–438.
- Grigg GC, Taplin LE, Harlow P and Wright J (1980). Survival and growth of hatchling *Crocodylus porosus* in salt water without access to fresh drinking water. *Oecologia* 47:264–266.
- Grigg GC, Taplin LE, Green B and Harlow P (1986). Sodium and water fluxes in free-living *Crocodylus porosus* in marine and freshwater conditions. *Physiological Zoology* 59:240–253.
- Hero JM, Morrison C, Gillespie G, Roberts JD, Newell D, Meyer E, McDonald K, Lemckett F, Mahony M, Osborne W, Hines H, Richards S, Hoskin C, Clarke J, Doak N and Shoo L (2006). Overview of the conservation status of Australian frogs. *Pacific Conservation Biology* 12:313–320.
- Houston D and Shine R (1993). Sexual dimorphism and niche divergence: feeding habits of the Arafura filesnake. *Journal of Animal Ecology* 62:737–748.

- Kay WR (2004). Movements and home ranges of radio-tracked *Crocodylus porosus* in the Cambridge Gulf region of Western Australia. *Wildlife Research* 31:495–508.
- Kennard MJ, Pusey BJ, Olden JD, Mackay SJ, Stein JL and Marsh N (2010). Classification of natural flow regimes in Australia to support environmental flow management. *Freshwater Biology* 55:171–193.
- Kennett R, Georges A and Palmer-Allen M (1993). Early developmental arrest during immersion of eggs of a tropical freshwater turtle, *Chelodina rugosa* (Testudinata: Chelidae), from northern Australia. *Australian Journal of Zoology* 41:37–45.
- Letnic M and Connors G (2006). Changes in the distribution and abundance of saltwater crocodiles (*Crocodylus porosus*) in the upstream, freshwater reaches of rivers in the Northern Territory, Australia. *Wildlife Research* 33:529–538.
- Letnic M, Webb JK and Shine R (2008). Invasive cane toads (*Bufo marinus*) cause mass mortality of freshwater crocodiles (*Crocodylus johnstoni*) in tropical Australia. *Biological Conservation* 141:1773–1782.
- Madsen T and Shine R (1994). Toxicity of a tropical Australian frog, *Litoria dahlii*, to sympatric snakes. *Wildlife Research* 21:21–25.
- Madsen T and Shine R (1999). Life history consequences of nest-site variation in tropical pythons (*Liasis fuscus*). *Ecology* 80:989–997.
- Madsen T and Shine R (2000a). Rain, fish and snakes: climatically driven population dynamics of Arafura filesnakes in tropical Australia *Oecologia* 124:208–215.
- Madsen T and Shine R (2000b). Silver spoons and snake body sizes: prey availability early in life influences long-term growth rates of free-ranging pythons. *Journal of Animal Ecology* 69:952–958.
- Madsen T, Ujvari B, Shine R and Olsson M (2006). Rain, rats and pythons: climate-driven population dynamics of predators and prey in tropical Australia. *Austral Ecology* 31:30–37.
- Markich SJ, Jeffree RA and Harch BD (2002). Catchment-specific element signatures in estuarine crocodiles *Crocodylus porosus* from the Alligator Rivers Region, northern Australia. *The Science of the Total Environment* 287:83–95.
- Mayes PJ, Thompson GG and Withers PC (2005). Diet and foraging behaviour of the semi-aquatic *Varanus mertensi* (Reptilia: Varanidae). *Wildlife Research* 32:67–74.
- Messel H and Vorlicek GC (1986). Population dynamics and status of *Crocodylus porosus* in the tidal waterways of northern Australia. *Australian Wildlife Research* 13:71–111.
- Pauwels O, Wallach V and David P (2008). Global diversity of snakes (Serpentes; Reptilia) in freshwater. *Hydrobiologia* 595:599–605.

- Phillips BL, Brown GP and Shine R (2003). Assessing the potential impact of cane toads on Australian snakes. *Conservation Biology* 17:1738–1747.
- Phillips BL, Brown GP, Webb J and Shine R (2006). Invasion and the evolution of speed in toads. *Nature* 439:803.
- Read MA, Miller JD, Bell IP, Felton A (2004). The distribution and abundance of the estuarine crocodile, *Crocodylus porosus*, in Queensland. *Wildlife Research* 31:527–534.
- Rhodin AGJ, Van Dijk PP and Parham JF (2008) Turtles of the world: annotated checklist of taxonomy and synonymy. *Chelonian Research Monographs*, 5, 000.1-000.38, doi:10.3854/crm.5.000.checklist.v1.2008.
- Russello MA, Brazaitis P, Gratten J, Watkins-Colwell GJ and Caccone A (2007). Molecular assessment of the genetic integrity, distinctiveness and phylogeographic context of the saltwater crocodile (*Crocodylus porosus*) on Palau. *Conservation Genetics* 8:777–787.
- Shine R (1986). Food habits, habitats and reproductive biology of four sympatric species of varanid lizards. *Herpetologica* 42:346–360.
- Shine R and Brown GP (2002). Effects of seasonally varying hydric conditions on hatchling phenotypes of keelback snakes (*Tropidonophis mairii*, Colubridae) from the Australian wet-dry tropics. *Biological Journal of the Linnean Society* 76:339–347.
- Shine R, Brown GP and Elphick MJ (2004). Field experiments on foraging in free-ranging water snakes *Enhydryis polylepis* (Homalopsinae). *Animal Behaviour* 68:1313–1324.
- Slatyer C, Rosauer D and Lemckert F (2007). An assessment of endemism and species richness patterns in the Australian Anura. *Journal of Biogeography* 34:583–596.
- Smith JG and Phillips BL (2006). Toxic tucker: assessing the potential impact of cane toads on Australia's reptiles. *Pacific Conservation Biology* 12:40–49.
- Spencer R and Thompson MB (2003). The significance of predation in nest site selection of turtles: an experimental consideration of macro- and microhabitat preferences. *Oikos* 102:592–600.
- Stuart SN, Chanson JS, Cox NA, Young BE, Rodrigues ASL, Fischman DL and Waller RW (2004). Status and trends of amphibian declines and extinctions worldwide. *Science* 306: 1783–1786.
- Taplin LE (1984). Drinking of freshwater but not seawater by the estuarine crocodile (*Crocodylus porosus*). *Comparative Biochemistry and Physiology A* 71:763–767.
- Taplin LE, Grigg GC and Beard L (1993). Osmoregulation of the Australian freshwater crocodile, *Crocodylus johnstoni*, in fresh and saline waters. *Journal of Comparative Physiology B* 163:70–77.

- Taylor JA (1979). The foods and feeding habits of subadult *Crocodylus porosus* Schneider in Northern Australia. *Australian Wildlife Research* 6:347–59.
- Tucker AD, Limpus CJ, McCallum HI and McDonald KR (1996). Ontogenetic dietary partitioning by *Crocodylus johnstoni* during the dry season. *Copeia* 1996:978–988.
- Tucker AD (1997). Validation of skeletochronology to determine age of freshwater crocodiles (*Crocodylus johnstoni*). *Marine and Freshwater Research* 48:343–51.
- Tucker AD, Limpus CJ, McCallum HI and McDonald KR (1997). Movements and home ranges of *Crocodylus johnstoni* in the Lynd River, Queensland. *Wildlife Research* 24:379–396.
- Turtle Taxonomy Working Group (2007). An annotated list of modern turtle terminal taxa (with comments on areas of instability and recent change). *Chelonian Research Monographs* 4:173–199.
- Ujvari B and Madsen T (2009). Increased mortality of naive varanid lizards after the invasion of non-native cane toads (*Bufo marinus*). *Herpetological Conservation and Biology* 4:248–251.
- Urban MC, Phillips BL, Skelly DK and Shine R (2007). The cane toad's (*Chanos chanos*) increasing ability to invade Australia is revealed by a dynamically updated range model. *Proceedings of the Royal Society, Series B—Biological Sciences* 274:1413–1419.
- Vence M and Köhler J (2008). Global diversity of amphibians (Amphibia) in freshwater. *Hydrobiologia* 595:569–580.
- Vincent SE, Shine R and Brown GP (2005). Does foraging mode influence sensory modalities for prey detection in male and female file snakes, *Acrochordus arafurae*? *Animal Behaviour* 70:715–721.
- Walsh B and Whitehead PJ (1993). Problem crocodiles, *Crocodylus porosus*, at Nhulunbuy, Northern Territory: an assessment of relocation as a management strategy. *Wildlife Research* 20:127–35.
- Webb GJW and Messel H (1978). Movement and dispersal patterns of *Crocodylus porosus* in some rivers of Arnhem Land, Northern Australia. *Australian Wildlife Research* 5:263–83.
- Webb GJW, Messel H and Magnusson W (1977). The nesting of *Crocodylus porosus* in Arnhem Land, Northern Australia. *Copeia* 1977:238–249.
- Webb GJW, Manolis SC and Sack GC (1983). *Crocodylus johnstoni* and *C. porosus* coexisting in a tidal river. *Australian Wildlife Research* 10:639–50.
- Webb GJW, Choquenot D and Whitehead PJ (1986). Nests, eggs, and embryonic development of *Carettochelys insculpta* (Chelonia: Carettochelyidae) from northern Australia. *Journal of Zoology Series B*:521–550.

- Webb JK, Brown GP and Shine R (2001). Body size, locomotor speed and antipredator behaviour in a tropical snake (*Tropidonophis mairii*, Colubridae): the influence of incubation environments and genetic factors. *Functional Ecology* 15:561–568.
- White AW and Shine R (2009). The extra-limital spread of an invasive species via "stowaway" dispersal: toad to nowhere? *Animal Conservation* 12:38–45.
- Williams CR, Wallman JF and Tyler MJ (1998). Toxicity of green tree frog (*Litoria caerulea*) skin secretion to the blowflies *Calliphora stygia* (Fabricius) and *Lucilia cuprina* (Wiedemann) (Diptera: Calliphoridae). *Australian Journal of Entomology* 37:85–89.
- Williams CR, Smith BPC, Best SM and Tyler MJ (2006). Mosquito repellents in frog skin. *Biology Letters* 2:242–245.
- Woinarski JCZ, Horner P, Fisher A, Brennan K, Lindner D, Gambold N, Chatto R and Morris I (1999). Distributional patterning of terrestrial herpetofauna on the Wessel and English Company Island groups, north-eastern Arnhem Land, Northern Territory, Australia. *Australian Journal of Ecology* 24:60–79.
- Young JE, Georges A, Doody JS, West PB and Alderman RL (2004). Pivotal range and thermosensitive period of the pig-nosed turtle, *Carettochelys insculpta* (Testudines: Carettochelydidae) from northern Australia. *Canadian Journal of Zoology* 82:1251–1257.

Birds

- Armstrong M (2004). The yellow chat *Epthianura crocea tunneyi* in Kakadu National Park. Report prepared by the Northern Territory Department of Infrastructure Planning and Environment for Parks Australia (North), Darwin.
- Ballinger A and Lake PS (2006). Energy and nutrient transfer from rivers and streams into terrestrial food webs. *Marine and Freshwater Research* 57: 15–28.
- Bamford MJ (1990). RAOU survey of migratory waders in Kakadu National Park: Phase III. RAOU report 70. Royal Australasian Ornithologists Union, Melbourne.
- Barrett G, Silcocks A, Barry S, Cunningham R and Poulter R (2003). *The New Atlas of Australian Birds*, Royal Australasian Ornithologists Union, Hawthorn East.
- Bayliss P, Bartolo R and van Dam R (2008). Quantitative ecological risk assessments for the Daly River. In: *Ecological Risk Assessment for Australia's Northern Tropical Rivers. Sub-project 2 of Australia's Tropical Rivers—An Integrated Data Assessment and Analysis (DET18)*, Bartolo R, Bayliss P and van Dam R (eds), Report to Land & Water Australia, Environmental Research Institute of the Supervising Scientist, National Centre for Tropical Wetland Research, Darwin.

- Buckton ST and Ormerod SJ (2002). Global patterns of diversity among the specialist birds of riverine landscapes. *Freshwater Biology* 47: 695–709.
- Chatto R (2000). Waterbird breeding colonies in the Top End of the Northern Territory. Parks and Wildlife Commission of the Northern Territory Technical Report 69, Parks and Wildlife Commission, Darwin.
- Chatto R (2006). The distribution and status of waterbirds around the coast and coastal wetlands of the Northern Territory. Parks and Wildlife Commission of the Northern Territory Technical Report 76, Parks and Wildlife Commission, Darwin.
- Christidis L and Boles WE (2008). *Systematics and Taxonomy of Australian Birds*, CSIRO Publishing, Collingwood.
- Delaney R, Fukuda Y and Saalfeld K (2009). *Management Program for the Magpie Goose (Anseranas semipalmata) in the Northern Territory of Australia, 2009–2014*, Northern Territory Department of Natural Resources, Environment, the Arts and Sport, Darwin.
- Dorfman EJ, Lamont A and Dickman CR (2001). Foraging behaviour and success of Black-necked Storks (*Ephippiorhynchus asiaticus*) in Australia: implications for management. *Emu* 101: 145–149.
- Dostine PL and Morton SR (1988). Notes on the food and feeding habits of cormorants on a tropical floodplain. *Emu* 88: 263–266.
- Dostine PL and Morton SR (1989a). Feeding ecology of the Whiskered Tern, *Chlidonias hybrida*, in the Alligator Rivers Region, Northern Territory. *Australian Wildlife Research* 16: 549–562.
- Dostine PL and Morton SR (1989b). Food of the Darter *Anhinga melanogaster* in the Alligator Rivers Region, Northern Territory. *Emu* 89: 53–54.
- Dostine PL and Morton SR (1989c). Food of the Black-winged Stilt *Himantopus himantopus* in the Alligator Rivers Region, Northern Territory. *Emu* 89: 250–253.
- Dostine PL and Morton SR (2000). Seasonal abundance and diet of the Comb-crested Jacana *Irediparra gallinacea* in the tropical Northern Territory. *Emu* 100: 299–311.
- Ferdinands K, Beggs K and Whitehead P (2005). Biodiversity and invasive grass species: multiple use or monoculture? *Wildlife Research* 32: 447–457.
- Finlayson CM, Lowry J, Bellio MG, Nou S, Pidgeon R, Walden D, Humphrey C and Fox G (2006). Biodiversity of the wetlands of the Kakadu Region, northern Australia. *Aquatic Sciences* 68: 374–399.
- Franklin DC (2008). Report 9: The waterbirds of Australian tropical rivers and wetlands. In: *A Compendium of Ecological Information on Australia's Northern Tropical Rivers. Sub-project 1 of Australia's Tropical Rivers—An Integrated Data Assessment and Analysis*

(DET18). Lukacs GP and Finlayson CM (eds), Report to Land & Water Australia. National Centre for Tropical Wetland Research, Townsville.

Frith HJ (1977). *Waterfowl in Australia*, AH and AW Reed, Sydney.

Garnett ST and Crowley GM (2000). *The Action Plan for Australian Birds*, Environment Australia, Canberra.

Gray LJ (1993). Responses of insectivorous birds to emerging aquatic insects in riparian habitats of a tallgrass prairie stream. *American Midland Naturalist* 129: 288–300.

Higgins PJ (ed.) (1999). *Handbook of Australian, New Zealand and Antarctic Birds. Volume 4. Parrots to Dollarbird*, Oxford University Press, Melbourne.

Higgins PJ and Davies SJ (eds.) (1996). *Handbook of Australian, New Zealand and Antarctic Birds. Volume 3. Snipe to Pigeons*, Oxford University Press, Melbourne.

Higgins PJ and Peter JM (eds.) (2002). *Handbook of Australian, New Zealand and Antarctic Birds. Volume 6. Pardalotes to Shrike-thrushes*, Oxford University Press, Melbourne.

Higgins PJ, Peter JM and Steele WK (eds) (2001). *Handbook of Australian, New Zealand and Antarctic Birds. Volume 5. Tyrant-flycatchers to Chats*, Oxford University Press, Melbourne.

Machtans CS, Villard MA and Hannon SJ (1996). Use of riparian buffer strips as movement corridors by forest birds. *Conservation Biology* 10: 1366–1379.

Marchant R (1982). Seasonal variations in the macroinvertebrate fauna of billabongs along Magela Creek, Northern Territory. *Marine and Freshwater Research* 33: 329–342.

Marchant S and Higgins PJ (eds) (1990). *Handbook of Australian, New Zealand and Antarctic Birds. Volume 1. Ratites to Ducks*, Oxford University Press, Melbourne.

Marchant S and Higgins PJ (eds) (1993). *Handbook of Australian, New Zealand and Antarctic Birds. Volume 2. Raptors to Lapwings*, Oxford University Press, Melbourne.

McKilligan N (2005). *Hérons, Egrets and Bitterns. Their Biology and Conservation in Australia*, CSIRO Publishing, Collingwood.

Minton C, Gosbell K, Johns P, Christie M, Fox JW and Afanasyev V (2010). Initial results from light level geolocator trials on Ruddy Turnstone *Arenaria interpres* reveal unexpected migration route. *Stilt* 57: 21–28.

Morton SR and Brennan KG (1991). Birds. In: *Monsoonal Australia: Landscape, Ecology and Man in the Northern Lowlands*, Haynes CD, Ridpath MG and Williams MAJ (eds), AA Balkema, Netherlands.

- Morton SR, Brennan KG and Armstrong MD (1990). Distribution and abundance of ducks in the Alligator Rivers Region, Northern Territory. *Australian Wildlife Research* 17: 573–590.
- Morton SR, Brennan KG and Armstrong MD (1991). Distribution and abundance of waterbirds in the Alligator Rivers Region, Northern Territory. Open File Record 86 (unpublished report), Supervising Scientist for the Alligator Rivers Region, Canberra.
- Morton SR, Brennan KG and Armstrong MD (1993). Distribution and abundance of broilgas and black-necked storks in the Alligator Rivers region, Northern Territory. *Emu* 93: 88–92.
- Nye ER, Dickman CR and Kingsford RT (2007). A wild goose chase—temporal and spatial variation in the distribution of the magpie goose (*Anseranas semipalmata*) in Australia. *Emu* 107: 28–37.
- Recher HF and Holmes RT (1982). The foraging behaviour of herons and egrets on the Magela Creek flood plain, Northern Territory. Technical Memorandum 4, Supervising Scientist for the Alligator Rivers Region, Australian Government Publishing Service, Canberra.
- Roshier DA, Klomp NI and Asmus M (2006). Movements of a nomadic waterfowl, Grey Teal *Anas gracilis*, across inland Australia—results from satellite telemetry spanning fifteen months. *Ardea* 94: 461–475.
- Rowley I (1993). The Purple-crowned Fairy-wren *Malurus coronatus*. I. History, distribution and present status. *Emu* 93: 220–234.
- Rowley I and Russell E (1993). The Purple-crowned Fairy-wren *Malurus coronatus*. II. Breeding biology, social organisation, demography and management. *Emu* 93: 235–250.
- Schulz, M. (1989). The importance of wetlands in Kakadu National Park to selected waterbirds. A Report to the Australian National Parks and Wildlife Service, May 1989.
- Smith LA and Johnstone RE (1977). Status of the Purple-crowned Wren (*Malarus coronatus*) and Buff-sided Robin (*Poecilodryas superciliosa*) in Western Australia. *Western Australian Naturalist* 13: 185–188.
- Storr GM (1977). Birds of the Northern Territory. *Western Australian Museum, Special Publication* 7: 1–130.
- Traill LW, Bradshaw CJA and Brook BW (2010). Satellite telemetry and seasonal movements of Magpie Geese (*Anseranas semipalmata*) in tropical northern Australia. *Emu* 110: 160–164.
- Uesugi A and Murakami M (2007). Do seasonally fluctuating aquatic subsidies influence the distribution pattern of birds between riparian and upland forests? *Ecological Research* 22: 274–281.

- van Doorn A and Low Choy J (2009). A description of the primary habitat of the Purple-crowned Fairy-wren *Malurus coronatus coronatus* in the Victoria River District, NT. *Northern Territory Naturalist* 21: 24–33.
- Whitehead PJ and Saalfeld K (2000). Nesting phenology of Magpie Geese (*Anseranas semipalmata*) in monsoonal northern Australia: responses to antecedent rainfall. *Journal of Zoology, London* 251: 495–508.
- Whitehead P, Wilson BA and Saalfeld K (1992). Managing the Magpie Goose in the Northern Territory: approaches to conservation of mobile fauna in a patchy environment. In: *Conservation and Development Issues in North Australia*, Moffatt I and Webb A (eds), North Australian Research Unit, Darwin.
- Woinarski JCZ (1993). A cut-and-paste community: birds of monsoon rainforests in Kakadu National Park, Northern Territory. *Emu* 93: 100–120.
- Woinarski JCZ, Brock C, Armstrong M, Hempel C, Cheal D and Brennan K (2000). Bird distribution in riparian vegetation in the extensive natural landscape of Australia's tropical savanna: a broad-scale survey and analysis of a distributional data base. *Journal of Biogeography* 27: 843–868.
- Woinarski J, Mackey B, Nix H and Traill B (2007). *The Nature of Northern Australia. Natural Values, Ecological Processes and Future Prospects*, ANU E Press, Canberra.
- Zwarts L, Ens BJ, Kersten M and Piersma T (1990). Molt, mass and flight range of waders ready to take off for long-distance migrations. *Ardea* 78: 339–364.

Identifying priority areas for the conservation of freshwater biodiversity in northern Australia

- Abell R, Allan JD and Lehner B (2007). Unlocking the potential of protected areas for freshwaters. *Biological Conservation* 134:48–63.
- AETG (Aquatic Ecosystem Task Group) (2009a). *High Conservation Value Aquatic Ecosystems—Draft National Framework*. Department of Environment, Water, Heritage and the Arts, Canberra.
- AETG (Aquatic Ecosystem Task Group) (2009b). *Draft Guidelines for Applying the Criteria for the HCVAE Assessment Process*. Department of Environment, Water, Heritage and the Arts, Canberra.
- Altman J, Jordan K, Kerins S, Buchanan G, Biddle N, Ens E-J and May K (2009). Indigenous interests in land and water. In: *Northern Australia Land and Water Science Review*, final

report to the Northern Australia Land and Water Taskforce, Stone P (ed.), CSIRO Publishing, Melbourne. http://www.nalwt.gov.au/science_review.aspx
Ball IR, Possingham HP and Watts M (2009). Marxan and relatives: software for spatial conservation prioritisation. In: *Spatial Conservation Prioritisation: Quantitative Methods and Computational Tools*, Moilanen A, Wilson KA and Possingham HP (eds), Oxford University Press, Oxford, 185–195.

Barmuta LA, Linke S and Turak E (2011). Bridging the gap between ‘planning’ and ‘doing’ for biodiversity conservation in freshwaters. *Freshwater Biology* 56:180–195.

Bartolo R, Bayliss P and van Dam R (2008). *Ecological Risk Assessment for Australia’s Northern Tropical Rivers: Subproject 2 of Australia’s Tropical Rivers—An Integrated Data Assessment and Analysis* (DET18), report to Land and Water Australia, Environmental Research Institute of the Supervising Scientist, Darwin.
www.environment.gov.au/ssd/tropical-rivers/triap-sp2.html (accessed 31 March 2011)

Blanch S (2008). Steps to a sustainable northern Australia. *Ecological Management and Restoration* 9:110–115.

Boer H (2010). Policy options for, and constraints on, effective adaptation for rivers and wetlands in northeast Queensland. *Australasian Journal of Environmental Management* 17:154–164.

CAPAD (2006). Collaborative Australian Protected Areas Database. Australian Government Department of the Environment, Water, Heritage and the Arts, Canberra.
www.environment.gov.au/parks/nrs/science/capad (accessed 31 March 2011)

Carwardine J, Klein CJ, Wilson KA, Presey RL and Possingham HP (2009). Hitting the target and missing the point: target-based conservation planning in context. *Conservation Letters* 2:3–10.

Carwardine J, O’Connor T, Legge S, Mackey B, Possingham HP and Martin TG (2011). *Priority Threat Management to Protect Kimberley Wildlife*. CSIRO Ecosystem Sciences, Brisbane.
www.csiro.au/files/files/pzk8.pdf (accessed 31 March 2011)

Carwardine J, Rochester WA, Richardson KS, Williams KJ, Pressey RL and Possingham HP (2007). Conservation planning with irreplaceability: does the method matter? *Biodiversity and Conservation* 16:245–258.

Carwardine J, Wilson KA, Ceballos G, Ehrlich PR, Naidoo R, Iwamura T, Hajkovicz SA and Possingham HP (2008a). Cost-effective priorities for global mammal conservation. *Proceedings of the National Academy of Sciences* 105:11446–11450.

Carwardine J, Wilson KA, Watts M, Etter A, Klein CJ and Possingham HP (2008b). Avoiding costly conservation mistakes: the importance of defining actions and costs in spatial priority setting. *PLoS ONE* 3(7):e2586 doi:10.1371/journal.pone.0002586.

- Convention on Biological Diversity (2006). Quarterly report on the administration of the Convention on Biological Diversity (January–March and April–June 2006), UNEP/CBD/QR/32-33, Montréal.
www.cbd.int/doc/quarterly/qr-32-33-en.pdf (accessed 31 March 2011)
- Cowling RM, Pressey RL, Rouget M and Lombard AT (2003). A conservation plan for a global biodiversity hotspot—the Cape Floristic Region, South Africa. *Biological Conservation* 112:191–216.
- Cowx IG (2002). Analysis of threats to freshwater fish conservation: past and present challenges. In: *Conservation of Freshwater Fishes: Options for the Future*, Collares-Pereira MJ, Cowx IG and Coelho MM (eds), Fishing News Books, Oxford, 201–220.
- DERM (Queensland Government Department of Environment and Resource Management) (2011). Declared wild river areas, DERM, Brisbane.
www.derm.qld.gov.au/wildrivers/declared_areas.html (accessed 31 March 2011)
- DSEWPaC (Australian Government Department of Sustainability, Environment, Water, Population and Communities) (2011). Australian Wetlands Database, DSEWPaC, Canberra.
www.environment.gov.au/water/topics/wetlands/database/index.html (accessed 31 March 2011)
- Field SA, O'Connor PJ, Tyre AJ and Possingham HP (2007). Making monitoring meaningful. *Austral Ecology* 32:485–491.
- Herbert ME, McIntyre PB, Doran PJ, Allan JD and Abell R (2010). Terrestrial reserve networks do not adequately represent aquatic ecosystems. *Conservation Biology* 24:1002–1011.
- Hermoso V, Kennard M and Linke S (2010). A complementary approach to identifying HCVAEs—systematic conservation planning. In: *Identifying High Conservation Value Aquatic Ecosystems in Northern Australia*, interim report for the Department of Environment, Water, Heritage and the Arts and the National Water Commission, Kennard MJ (ed), Tropical Rivers and Coastal Knowledge (TRaCK) Commonwealth Environmental Research Facility, Charles Darwin University, Darwin.
<http://track.gov.au/publications/registry/843> (accessed 31 March 2011)
- IUCN (International Union for Conservation of Nature) (1994). *CNPPA/WCMC Guidelines for Protected Area Management Categories*. Gland, Switzerland.
www.iucn.org/dbtw-wpd/edocs/1994-007-En.pdf (accessed 31 March 2011)
- Kennard MJ (ed) (2010). *Identifying High Conservation Value Aquatic Ecosystems in Northern Australia*, interim report for the Department of Environment, Water, Heritage and the Arts and the National Water Commission, Tropical Rivers and Coastal Knowledge (TRaCK) Commonwealth Environmental Research Facility, Charles Darwin University, Darwin.
<http://track.gov.au/publications/registry/843> (accessed 31 March 2011)
- Kennard MJ (ed) (2011). *Priorities for Identification and Sustainable Management of High Conservation Value Aquatic Ecosystems in Northern Australia*, final report for the

Department of Sustainability, Environment, Water, Population and Communities and the National Water Commission, Tropical Rivers and Coastal Knowledge (TRaCK)
Commonwealth Environmental Research Facility, Charles Darwin University, Darwin.
<http://track.gov.au/publications> (accessed 31 March 2011)

- Knight RL (1999). Private lands: the neglected geography. *Conservation Biology* 13:223–224.
- Linke S, Norris RH and Pressey RL (2008). Irreplaceability of river networks: towards catchment-based conservation planning. *Journal of Applied Ecology* 45:1486–1495.
- Linke S, Turak E and Nel J (2011). Freshwater conservation planning: the case for systematic approaches. *Freshwater Biology* 56:6–20.
- McDonald-Madden E, Baxter PWJ, Fuller RJ, Martin TG, Game ET, Montambault J and Possingham HP (2010). Monitoring does not always count. *Trends in Ecology and Evolution* 25:547–550.
- Margules CR, Nicholls AO and Pressey RL (1988). Selecting networks of reserves to maximize biological diversity. *Biological Conservation* 43:63–76.
- Margules CR and Pressey RL (2000). Systematic conservation planning. *Nature* 405:243–253.
- Margules CR, Pressey RL and Williams PH (2002). Representing biodiversity: data and procedures for identifying priority areas for conservation. *Journal of Biosciences* 27:309–326.
- Naidoo R, Balmford A, Ferraro PJ, Polasky S, Ricketts TH and Rouget M (2006). Integrating economic cost into conservation planning. *Trends in Ecology and Evolution* 21:681–687.
- Nel JL, Roux DJ, Maree G, Kleynhans CJ, Moolman J, Reyes B, Rouget M and Cowling RM (2007). Rivers in peril inside and outside protected areas: a systematic approach to conservation assessment of river ecosystems. *Diversity and Distributions* 13:341–352.
- Nichols JD and Williams BK (1996). Monitoring for conservation. *Trends in Ecology and Evolution* 21:668–673.
- NRETA (Northern Territory Department of Natural Resources, Environment and the Arts) (2010). *Territory Eco-link 21st Century Conservation*, NRETA, Darwin.
www.nt.gov.au/nreta/parks/ecolink (accessed 31 March 2011)
- Olden JD, Kennard MJ, Leprieur F, Tedesco PA, Winemiller KO and García-Berthou W (2010). Conservation biogeography of freshwater fishes: recent progress and future challenges. *Diversity and Distributions* 16:496–513.
- Orians G and Soulé M (eds) (2001). *Conservation Biology. Research Priorities for the Next Decade*, Island Press, Washington DC.

- Possingham HP, Andelman SJ, Noon BR, Trombulak S and Pulliam HR (2001). Making smart conservation decisions. In *Conservation Biology: Research Priorities for the Next Decade*, Soulé ME and Orians GH (eds), Island Press, Washington DC.
- Possingham HP, Ball IR and Andelman S (2000). Mathematical methods for identifying representative reserve networks. In: *Quantitative Methods for Conservation Biology*, Ferson S and Burgman M (eds), Springer-Verlag, New York, 291–305.
- Pressey RL (1994). Ad hoc reservations: forward or backward steps in developing representative reserve systems? *Conservation Biology* 8:662–668.
- Pressey RL and Bottrill MC (2008). Opportunism, threats and the evolution of systematic conservation planning. *Conservation Biology* 22:1340–1345.
- Pressey RL, Hager TC, Ryan KM, Schwarz J, Wall S, Ferrier S and Creaser PM (2000). Using abiotic data for conservation assessments over extensive regions: quantitative methods applied across New South Wales, Australia. *Biological Conservation* 96:55–82.
- Pressey RL and Nicholls AO (1989). Efficiency in conservation evaluation: scoring versus iterative approaches. *Biological Conservation* 50:199–218.
- Pressey RL, Possingham HP and Margules CR (1996). Optimality in reserve selection algorithms: when does it matter and how much? *Biological Conservation* 76:259–267.
- Pressey RL and Tully SL (1994). The cost of ad hoc reservation: a case study in New South Wales. *Australian Journal of Ecology* 19:375–384.
- Pusey BJ and Kennard MJ (2009). Aquatic ecosystems in northern Australia. In: *Northern Australia Land and Water Science Review*, Stone P (ed), final report to the Northern Australia Land and Water Taskforce, CSIRO Publishing, Melbourne.
- Ramsar Bureau (2009). *Strategic Framework and Guidelines for the Future Development of the List of Wetlands of International Importance of the Convention on Wetlands*, Ramsar, Gland, Switzerland.
www.ramsar.org/pdf/key_guide_list2009_e.pdf (accessed 31 March 2011)
- Rouget M, Cowling RM, Lombard AT, Knight AT and Kerley GI (2006). Designing large-scale conservation corridors for pattern and process. *Conservation Biology* 20:549–561.
- Salzer D and Salafsky N (2006). Allocating resources between taking action, assessing status, and measuring effectiveness of conservation actions. *Natural Areas Journal* 26:310–329.
- Sarkar S (1999). Wilderness preservation of biodiversity conservation—keeping divergent goals distinct. *BioScience* 49:405–412.
- Saunders DL, Meeuwig JJ and Vincent CJ (2002). Freshwater protected areas: strategies for conservation. *Conservation Biology* 16:30–41.

SKM (Sinclair Knight Merz) (2009). *Ecological Assets of Northern Australia Study*, final report to the Australian Government Department of the Environment, Water, Heritage and the Arts, SKM, Canberra. www.environment.gov.au/water/publications/action/nawfa-ecological-report.html (accessed 31 March 2011)

Stein JL, Stein JA and Nix HA (2002). Spatial analysis of anthropogenic river disturbance at regional and continental scales: identifying the wild rivers of Australia. *Landscape and Urban Planning* 60:1–25.

Williams PH, Moore JL, KamdenToham A, Brooks TM, Strand H, D'Amico J, Wisz M, Burgess ND, Balmford A and Rahbek C (2003). Integrating biodiversity priorities with conflicting socio-economic values in the Guinean–Congolian forest region. *Biodiversity and Conservation* 12:1297–1320.

Condition, impacts and threats to aquatic biodiversity

ABS (Australian Bureau of Statistics) (2006). *Water Account Australia 2004–2005*, ABS Catalogue No. 4610.0, Australian Bureau of Statistics, Canberra.

Allan JD (2004). Landscapes and riverscapes: the influence of landuse on stream ecosystems. *Annual Review of Ecology and Systematics* 35:257–284.

Altman J, Jordan K, Kerins S, Buchanan G, Biddle N, Ens E and May K (2009). Indigenous interests in land and water. In: *Northern Australia Land and Water Science Review*, Stone P (ed), final report to the Northern Australia Land and Water Taskforce, CSIRO Publishing, Canberra.

ANCOLD (Australian National Committee on Large Dams) Inc. (2002). Register of large dams in Australia (ICOLD Dam Register.xls), ANCOLD Inc. www.ancold.org.au

Andersen, A.N., Cook, G.D., Corbett, L.K., Douglas, M.M., Eager, R.W., Russell-Smith, J., Setterfield, S.A., Williams, R.J. & Woinarski, J.C.Z. (2005). Fire frequency and biodiversity conservation in Australian tropical savannas: implications from the Kapalga fire experiment. *Austral Ecology* 30: 155-167.

Arthington AH (1996). The effects of agricultural landuse and cotton production on tributaries of the Darling River, Australia. *Geo Journal* 40: 115–125.

Balston, J. (2009). Short-term climate variability and the commercial barramundi (*Lates calcarifer*) fishery of north-east Queensland, Australia. *Marine and Freshwater Research* 60:912–923.

Bartareau T, Barry G and Biddle D (1998). Impact of abandoned mines on sediment and water quality in the Mitchell River Watershed, North Queensland. Project report for National Landcare Program 94-5057, Queensland Department of Natural Resources.

- Bartholomew A and Bohnsack J (2005). A review of catch-and-release angling mortality with implications for no-take reserves. *Reviews in Fish Biology and Fisheries* 15:129–154.
- Bayliss P, van Dam R, Boyden J and Walden D (2006). Ecological risk assessment of Magela floodplain to differentiate mining and non-mining impacts. In: *eriss Research Summary 2004–2005*, Evans KG, Rovis-Hermann J, Webb A and Jones DR (eds), Supervising Scientist Report 189, Environmental Research Institute of the Supervising Scientist, Darwin.
- Bayliss P, Bartolo R and van Dam R (2008). Quantitative ecological risk assessments. In: *Ecological Risk Assessment for Australia's Northern Tropical Rivers: Sub-project 2 of Australia's Tropical Rivers—an Integrated Data Assessment and Analysis (DET18)*, Bartolo R, Bayliss P and van Dam R (eds), report to Land & Water Australia, Environmental Research Institute of the Supervising Scientist, Darwin, Australia.
- Brodie JE and Mitchell AW (2005). Nutrients in Australian tropical rivers: changes with agricultural development and implications for receiving environments. *Marine and Freshwater Research* 56:279–302.
- Brooks A, Lymburner L, Dowe J, Burrows D, Dixon I, Spencer J and Knight J (2008). Development of a riparian condition approach for the northern Gulf rivers using remote sensing and ground survey. Project GRU38, final report prepared for Land & Water Australia, Australian Rivers Institute, Griffith University, Brisbane.
- Burrows DW (2000). Literature review of the potential impacts of grazing on aquatic and riparian ecosystems in the Australian dry tropical rangelands. Report 00/01, Australian Centre for Tropical Freshwater Research, James Cook University.
- Burrows DW (2003). Monitoring of riparian environments in the Dalrymple Shire with respect to the benefits of fencing—final report. Report 03/23, Australian Centre for Tropical Freshwater Research, James Cook University.
- Burrows DW (2004). Aquatic ecosystems. In: *Healthy Rangelands Principles for Sustainable Systems. Focus on Australia's Burdekin Rangelands*, McCullough M and Musso B (eds), Tropical Savannas Cooperative Research Centre/Queensland Department of Primary Industries, 147–170.
- Burrows DW and Butler B (2001). Managing livestock to protect the aquatic resources of the Burdekin catchment, North Queensland. In: *Proceedings of the 3rd Australian Stream Management Conference*, Rutherford IR (ed), Brisbane, 27–29 August 2001, 95–101.
- Burrows, D.W., Butler, B. & Pearson, R. (2000). *Aquatic Ecology of the Townsville Field Training Area (TFTA) – LWRRDC/CSIRO Sustainable Use of Military Lands Program*. Report 00/08 Australian Centre for Tropical Freshwater Research, James Cook University, 2 volumes.
- Burrows DW, Knott MJ, Schaffer J and Davis A (2010). An experimental evaluation of the impacts of feral pigs on ephemeral wetlands in Lakefield National Park, north Queensland. Report 10/05, Australian Centre for Tropical Freshwater Research, James Cook University.

- Butler B and Burrows DW (2006). The salinity status of Cattle Creek and the Walsh River in the Mitchell River catchment, north Queensland. Report 06/18, Australian Centre for Tropical Freshwater Research, James Cook University.
- Butler BM, Loong D, Birtles A and Pearson RG (2002). Ecotourism and water quality in wet tropic streams. Report 02/23, Australian Centre for Tropical Freshwater Research, James Cook University.
- Butler B, Loong D and Burrows DW (2007). Accumulation of metals in stream sediments of streams of the Upper Walsh River catchment. Report 07/38, Australian Centre for Tropical Freshwater Research, James Cook University.
- Butler B, Loong D and Burrows DW (2008). An ambient water quality survey of the upper Walsh River system, north Queensland. Report 08/07, Australian Centre for Tropical Freshwater Research, James Cook University.
- Butler BM, Pearson RG and Birtles A (1996). Ecotourism, water quality and wet tropics streams. Volume I: text and report. Volume II: figures, tables and appendices. Report 96/11, Australian Centre for Tropical Freshwater Research, James Cook University.
- Caley P (1997). Movements, activity patterns and habitat use of feral pigs (*Sus scrofa*) in a tropical habitat. *Wildlife Research* 24:77–87.
- Carson D, Taylor A and Campbell S (2009). *Demographic Trends and Likely Futures for Australia's Tropical Rivers*, Charles Darwin University, Darwin.
- Chan TU, Hart BT, Kennard MJ, Pusey BJ, Shenton W, Douglas MM, Valentine E and Patel S (2010). Bayesian network models for environmental flow decision making in the Daly River, Northern Territory, Australia. *River Research and Applications* DOI: 10.1002/rra.1456.
- Clark E, Abel N, Measham T, Morison J and Rippin L (2009). Water based tourism and recreation in northern Australia. In: *Northern Australia Land and Water Science Review*, Stone P (ed), final report to the Northern Australia Land and Water Taskforce, CSIRO Publishing, Canberra.
- Cobb SM, Saynor MJ, Eliot M, Eliot I and Hall R (2007). Saltwater intrusion and mangrove encroachment of coastal wetlands in the Alligator Rivers Region, Northern Territory, Australia. Supervising Scientist Report 191, Environmental Research Institute of the Supervising Scientist, Darwin.
- Cook GD and Dias L (2006). It was no accident: deliberate plant introductions by Australian government agencies during the 20th century. *Australian Journal of Botany* 54:601–625.
- Cooke SJ and Cowx IG (2004). The role of recreational fishing in global fish crises. *BioScience* 54:857–859.

- Coughlin T, O'Reagain P, Nelson B, Butler B and Burrows D (2008). *Managing for Water Quality Within Grazing Lands of the Burdekin Catchment—Guidelines for Land Managers*, Burdekin Solutions Ltd, Townsville.
- Cowled BD, Gianni F, Beckett SD, et al (2009). Feral figs: predicting future distributions. *Wildlife Research* 36:242–251.
- CRC Weeds (2003). CRC Weed Management Guides. 9 October 2009.
www.dpi.nsw.gov/agriculture/pests-weeds/weeds/publications/weeds-crc-pubs.
- Cresswell R, Petheram C, Harrington G, Buettikofer H, Hodgen M, Davies P and Li L (2009). Water resources in northern Australia. In: *Northern Australia Land and Water Science Review*, Stone P (ed), final report to the Northern Australia Land and Water Taskforce, CSIRO Publishing, Canberra.
- CSIRO and BoM (Commonwealth Scientific and Industrial Research Organisation, and Bureau of Meteorology) (2007). *Climate Change in Australia: Technical Report*, CSIRO Publishing, Canberra.
- Davis AM and Perna C (2009). Evidence for predation on terrestrial Cane Toads *Bufo marinus* by the Sooty Grunter *Hephaestus fuliginosus* in northern Australia. *Northern Territory Naturalist* 21:45–48.
- de Groot R, Finlayson M, Verschuuren B, Ypma O and Zylstra M (2008). Integrated assessment of wetland services and values as a tool to analyse policy trade-offs and management options: a case study in the Daly and Mary River catchments, Northern Australia. Supervising Scientist Report 198, Environmental Research Institute of the Supervising Scientist, Darwin.
- Delaney R, Fukuda Y and Saalfeld K (2009). *Management Program for the Magpie Goose (Anserana semipalmata) in the Northern Territory of Australia, 2009–2014*, Department of Natural Resources, Environment, the Arts and Sport, Darwin.
- Dixon I, Dobbs R, Townsend S, Close P, Ligtermoet E, Dostine P, Duncan R, Kennard M and Tunbridge D (2010). Trial of the Framework for the Assessment of River and Wetland Health in the wet/dry tropics. Report to the National Water Commission, Tropical Rivers and Coastal Knowledge research hub, Darwin.
- Doak A, Deveze M, March N, Osmond R and McKenzie J (2004). *Rubber Vine Management*, Queensland Department of Natural Resources, Mines and Energy, Brisbane, Queensland.
- Douglas MM (1999). Tropical savanna streams: their seasonal dynamics and response to catchment disturbance. PhD Thesis, Monash University.
- Douglas MM, Bunn SE and Davies PM (2005). River and wetland food webs in Australia's wet-dry tropics: general principles and implications for management. *Marine and Freshwater Research* 56:329–342.

- Douglas MM and O'Connor RA (2003). Effects of the exotic macrophyte, para grass (*Urochloa mutica*), on benthic and epiphytic macroinvertebrates of a tropical floodplain. *Freshwater Biology* 48:962–971.
- Douglas MM and Traill LW (2010). The potential effects of climate change on wetlands and freshwater aquatic biodiversity. In: *Kakadu National Park Landscape Symposia Series 2007–2009. Symposium 4: Climate Change*, Winderlich S (ed). Internal Report 567, Environmental Research Institute of the Supervising Scientist, Darwin.
- Doupé R and Pettit NE (2002). Ecological perspectives on regulation and water allocation for the Ord River, Western Australia. *River Research and Applications* 18:307–320.
- DRF (Department of Resources—Fisheries) (2009). *Fishery Status Reports 2008*, DRF, Darwin.
- Ens E, Cooke P, Nadjamerrek R, Namundja S, Garlingarr V and Yibarbuk D (2010). Combining Aboriginal and non-Aboriginal knowledge to assess and manage feral water buffalo impacts on perennial freshwater springs of the Arnhem Plateau, Australia. *Environmental Management* 45:751–758.
- Fairfax RJ and Fensham RJ (2002). In the footsteps of J. Alfred Griffiths: a cataclysmic history of Great Artesian Basin springs in Queensland. *Australian Geographical Studies* 40:210–230.
- Faulks JJ (1998). Daly River catchment, an assessment of the physical and ecological condition of the Daly River and its major tributaries. Top End Waterways project, technical report TR99/10, Northern Territory Department of Lands, Planning and Environment.
- Ferdinands K, Beggs K and Whitehead P (2005). Biodiversity and invasive grass species: multiple-use or monoculture? *Wildlife Research* 32:447–457.
- Finlayson, C.M., Bellio, M.G. & Lowry, J.B. (2005). A conceptual basis for the wise use of wetlands in northern Australia – linking information needs, integrated analyses, drivers of change and human well-being. *Marine and Freshwater Research* 56: 269-277.
- Fox G (2008). Report 8: Semi-aquatic and aquatic reptiles. In: *A Compendium of Ecological Information on Australia's Northern Tropical Rivers. Sub-project 1 of Australia's Tropical Rivers—an Integrated Data Assessment and Analysis*, Lukacs GP and Finlayson CM (eds), report to Land & Water Australia, National Centre for Tropical Wetland Research, Townsville.
- Fukuda Y and Townsend S (2006). *Dry Season Water Quality Resource Condition Targets for the Rivers and Streams of the Darwin–Litchfield–Bynoe Region*, Department of Natural Resources, Environment and the Arts, Darwin.
- Ganf GG and Rea N (2007). Potential for algal blooms in tropical rivers of the Northern Territory, Australia. *Marine and Freshwater Research* 58:315–326.

- Grice AC, Perry JJ, Nichols DM and Williams PR (2008). Managing complexity: the example of invasive forage grasses. In: *Sixteenth Australian Weeds Conference*, van Klinken RD, Osten VA, Panetta FD and Scanlon JC (eds), Queensland Weeds Society, Brisbane, 22–29.
- Griffiths AD and McKay JL (2007). Cane toads reduce the abundance and site occupancy of Merten's water monitor (*Varanus mertensi*). *Wildlife Research* 34:609–615.
- Ganf GC and Rea N (2007) Potential for algal blooms in tropical rivers of the Northern Territory, Australia. *Marine and Freshwater Research* 58, 315–326.
- Hamilton SK (in press). Biogeochemical implications of climate change for tropical rivers and floodplains. *Hydrobiologia* doi:10.1007/s10750-009-0086-1.
- Harrison L, McGuire L, Ward S, Fisher A, Pavey C, Fegan M and Lynch B (2009). *An Inventory of Sites of International and National Significance for Biodiversity Values in the Northern Territory*, Department of Natural Resources, Environment, the Arts and Sport, Darwin.
- Hart A (2002). Fisheries monitoring programs in the south Gulf of Carpentaria—a review. Report prepared for the Australian Centre for Tropical Freshwater Research, James Cook University, Townsville.
- Heard TA, Paynter Q, Chan R and Mira A (2005). *Malacorhinus irregularis* for biological control of *Mimosa pigra*: host specificity, life cycle, and establishment in Australia. *Biological Control* 32:252–262.
- Herbert BW, Peeters JA, Graham PA and Hogan AE (1995). *Freshwater Fishes and Aquatic Habitat Survey of Cape York Peninsula*, Natural Resources Analysis Program, Queensland Department of Primary Industries, Brisbane.
- Hogan A, van Dam R, Houston M and Lee N (2008). Toxicity of Ranger mine RP2 and Pit 3 waters to native freshwater species: 2007 wet season. Supervising Scientist Report 197, Environmental Research Institute of the Supervising Scientist, Darwin.
- Humphreys WF (2008). Rising from Down Under: developments in subterranean biodiversity in Australia from a groundwater fauna perspective. *Invertebrate Systematics* 22:85–101.
- Hydrobiology (2006). Gulf and Mitchell: ecological and geomorphological assessment for the Gulf and Mitchell water resource plans. Report prepared by Hydrobiology Pty Ltd for the Queensland Department of Natural Resources and Mines.
- Kean L and Price O (2003). The extent of Mission grass and Gamba grass in the Darwin region of Australia's Northern Territory. *Pacific Conservation Biology* 8:281–290.
- Kingsford RT (2000). Review: ecological impacts of dams, water diversions and river management on floodplain wetlands in Australia. *Austral Ecology* 25:109–127.
- Lamche G (2006). *Outer Darwin Streams: Culvert and Floodway Inventory*, Department of Natural Resources, Environment and the Arts, Darwin.

- Leigh C and Sheldon F (2009). Hydrological changes and ecological impacts associated with water resource development in large floodplain rivers in the Australian tropics. *River Research and Applications* 24:1251–1270.
- Letnic M, Webb JK and Shine R (2008). Invasive cane toads (*Bufo marinus*) cause mass mortality of freshwater crocodiles (*Crocodylus johnstoni*) in tropical Australia. *Biological Conservation* 141:1773–1782.
- Loong D, Faithful J, Butler B and Brodie J (2001). An assessment of potential water quality impacts by motorised watercraft in Ross River Dam—a literature review. Report 01/09, Australian Centre for Tropical Freshwater Research, James Cook University.
- Lund MA and McCrea A (2002). Assessment of ecological risk associated with irrigation in the Ord River catchment. LWRRDC project WRC10: Report number 2001-05.
- McCullough CD, Hogan AC, Humphrey CL, van Dam RL and Douglas MM (2008). Failure of *Hydra* populations to develop tolerance indicates absence of toxicity from a mining whole-effluent. *Verhandlungen Internationale Vereinigung Limnologie* 30:223–226.
- McJannet DL, Wallace JW, Henderson A and McMahon J (2009). High and low flow regime changes at environmental assets across northern Australia under future climate and development scenarios. Report to the Australian Government from the CSIRO Northern Australian Sustainable Yields Project, CSIRO Water for a Healthy Country National Research Flagship, Division of Land and Water, Canberra.
- McPhee D, Leadbitter D and Skilleter GA (2002). Swallowing the bait: is recreational fishing in Australia ecologically sustainable? *Pacific Conservation Biology* 8:40–51.
- Mika S, Hoyle J, Kyle G, Howell T, Wolfenden B, Ryder D, Keating D, Boulton A, Brierley G, Brooks AP, Fryirs K, Lieshman M, Sanders M, Arthington A, Creese R, Dahm M, Miller C, Pusey B and Spink A (2010). Inside the 'Black Box' of river restoration: using catchment history to identify disturbance and response mechanisms to set targets for process-based restoration. *Ecology and Society* 15:8, online journal. www.ecologyandsociety.org/vol15/iss4/art8/.
- Mitchell J (2010). *Experimental research to quantify the environmental impact of feral pigs within tropical freshwater ecosystems*. Final report to the Department of the Environment, Water, Heritage and the Arts, Canberra.
- Moller G, Johnson DJ and Van Manen N (2002). *An Ecological and Physical Assessment of the Condition of Streams in the Mitchell, Lynd, Palmer, Walsh and Alice River Catchments*, Queensland Department of Natural Resources and Mines, Brisbane.
- Morgan D, Thorburn D, Fenton J, Wallace-Smith H and Goodson S (2005). Influence of the Camballin Barrage on fish communities in the Fitzroy River, Western Australia. Report to Land & Water Australia, Murdoch University/Kimberley Land Council/Department of Environment.

- Mosisch TD and Arthington AH (2004). Impacts of recreational power boating on freshwater ecosystems. In: *Environmental Impacts of Ecotourism*, Buckley R (ed), CABI Publishing, Wallingford, Oxfordshire.
- Mulrennan ME and Woodroffe CD (1998). Saltwater intrusion into the coastal plains of the Mary River, Northern Territory, Australia. *Journal of Environmental Management* 54:169–188.
- Myers B, McKaige M, Whitehead P and Douglas M (eds) (2003). *Wise Use of Wetlands in Northern Australia: Grazing Management in Wetlands and Riparian Habitats*. Proceedings of a Workshop Held in Darwin, Northern Territory, 2–4 October 2001, Centre for Tropical Wetlands Management, Northern Territory University, Darwin.
- NLWRA (National Land and Water Resources Audit) (2002). *National Land and Water Resources Audit: Australian Catchment, River and Estuary Assessment*, Land & Water Australia, Canberra.
- NRETAS (Department of Natural Resources, Environment, the Arts and Sport) (2009). *Darwin Harbour Region Report Cards 2009*, NRETAS, Darwin.
- O'Grady AP, Eamus D, Cook PG and Lamontagne S (2006). Groundwater use by riparian vegetation in the wet-dry tropics of northern Australia. *Australian Journal of Botany* 54:145–154.
- Olden J, Kennard M and Pusey B (2008). Species invasions and the changing biogeography of Australian freshwater fishes. *Global Ecology and Biogeography* 17:25–37.
- Overall RA and Parry DL (2004). The uptake of uranium by *Eleocharis dulcis* (Chinese water chestnut) in the Ranger Uranium Mine constructed wetland filter. *Environmental Pollution* 132:307–320.
- Page T, Short JW, Humphrey CL, Hillyer MJ and Hughes JM (2008). Molecular systematics of the Kakaducarididae (Crustacea: Decapoda: Caridea). *Molecular Phylogenetics and Evolution* 46:1003–1014.
- Palmer MA, Lettenmaier DP, Pof, NL, Postel SL, Richter B and Warner R (2009). Climate change and river ecosystems: protection and adaptation options. *Environmental Management* 44:1053–1068.
- Paynter Q (2006). Evaluating the impact of biological control against *Mimosa pigra* in Australia: comparing litterfall before and after the introduction of biological control agents. *Biological Control* 38:166–173.
- Pearce M, Perna C and Hedge S (2009). *Survey of Eureka Creek and Walsh River Fish Community Following the Removal of Tilapia using Rotenone*, Queensland Primary Industries and Fisheries.

- Perna C (2003). Fish habitat assessment and rehabilitation in the Burdekin delta distributory streams. Report 03/22, Australian Centre for Tropical Freshwater Research, James Cook University.
- Perna C and Burrows D (2005). Improved dissolved oxygen status following removal of exotic weed mats in important fish habitat lagoons of the tropical Burdekin River floodplain, Australia. *Marine Pollution Bulletin* 51:138–148.
- Pettit NE, Froend RH and Davies PM (2001). Identifying the natural flow regime and the relationship with riparian vegetation for two contrasting western Australian rivers. *Regulated Rivers: Research and Management* 17:201–215.
- Petty AM, Werner PA, Lehmann CER, Riley JE, Banfai DS and Elliott LP (2007). Savanna responses to feral buffalo in Kakadu National Park, Australia. *Ecological Monographs* 77:441–463.
- Pusey BJ, Kennard MJ and Arthington AH (2004). *Freshwater Fishes of North-eastern Australia*, CSIRO Publishing, Collingwood.
- Pusey BJ and Kennard MJ (2009). Aquatic ecosystems in northern Australia. In: *Northern Australia Land and Water Science Review*, Stone P (ed), final report to the Northern Australia Land and Water Taskforce, CSIRO Publishing, Canberra.
- Rayment GE (2003). Water quality in sugar catchments of Queensland. *Water Science and Technology* 48:35–47.
- Ridpath MG (1991). Feral mammals and their environment. In: *Monsoonal Australia: Landscape, Ecology and Man in the Northern Lowlands*, Haynes CD, Ridpath MG and Ridpath MAJ (eds), Balkema, Rotterdam, 169–191.
- Room PM, Harley KLS, Forno IW and Sands DP (1981). Successful biological control of the floating weed salvinia. *Nature* 294:78–80.
- Rossiter NA, Setterfield SA, Douglas MM and Hutley LB (2003). Testing the grass-fire cycle: alien grass invasion in the tropical savannas of northern Australia. *Diversity and Distributions* 9:169–176.
- Roth CH, Prosser IP, Post DA, Gross JE, Webb MJ, O'Reagain PJ, Shepherd RN and Nelson BS (2004). *Keeping it in Place—Controlling Sediment Loss on Grazing Properties in the Burdekin River Catchment*, Meat & Livestock Australia, Sydney.
- Russell-Smith J, Ryan P and Durieu R (1997). A LANDSAT MSS-derived fire history of Kakadu National Park, monsoonal northern Australia, 1980–94: seasonal extent, frequency and patchiness. *Journal of Applied Ecology* 34:748–766.
- Russell-Smith J, Whitehead P and Cooke P (2009). *Culture, Ecology and Economy of Fire Management in North Australian Savannas*, CSIRO Publishing, Collingwood.

- Russell-Smith J, Yates C, Edwards A, Allan GE, Cook GD, Cooke P, Craig R, Heath B and Smith R (2003). Contemporary fire regimes of northern Australia, 1997–2001: change since Aboriginal occupancy, challenges for sustainable management. *International Journal of Wildland Fire* 12:283–297.
- Ryan TJ, Aland G and Cogle AL (2002). Environmental condition of the upper Mitchell River system: water quality and ecology. Report prepared for the National Heritage Trust (Ref no. 962005), Queensland Department of Natural Resources and Mines and Queensland Department of Primary Industries.
- Saker ML and Griffiths DJ (2001). Occurrence of blooms of the cyanobacterium *Cylindrospermopsis raciborskii* (Wolozynnska) Seenaya and Subba Raju in a north Queensland domestic water supply. *Marine and Freshwater Research* 52:907–915.
- Scheltinga DM, Fearon R, Bell A and Heydon L (2006). *Assessment of Information Needs for Freshwater Flows into Australian Estuaries*, Land & Water Australia, Canberra.
- Schult J and Metcalfe R (2006). High nitrate concentrations in the Douglas River and their impact on Daly River water quality. Report No 9/2006D, Aquatic Health Unit, Department of Natural Resources, Environment and the Arts, Darwin.
- Skinner L, Townsend S and Fortune J (2009). The impact of urban land use on total pollutant loads entering Darwin Harbour. Report 06/2008D, Department of Natural Resources, Environment, the Arts and Sport, Darwin.
- Smith MJ, Kay WR, Edward DHD, et al (1999). AUSRIVAS: using macroinvertebrates to assess ecological condition of rivers in Western Australia. *Freshwater Biology* 41:269–282.
- Spencer PBS and Hampton JO (2005). Illegal translocation and genetic structure of feral pigs in Western Australia. *Journal of Wildlife Management* 69:377–384.
- Staton J and O’Sullivan J (2006). *Stock and Waterways: A Managers Guide*, Land & Water Australia, Canberra.
- Stein JL, Stein JA and Nix HA (2002). Spatial analysis of anthropogenic river disturbance at regional and continental scales: identifying the wild rivers of Australia. *Landscape and Urban Planning* 60:1–25.
- Storey AW, Davies PM and Froend RH (2001). Fitzroy River system: environmental values. Report to the Water and Rivers Commission, Western Australia.
- Taylor MP (2007). Distribution and storage of sediment-associated heavy metals downstream of the remediated Rum Jungle Mine on the East Branch of the Finnis River, Northern Territory, Australia. *Journal of Geochemical Exploration* 92:55–72.
- Thomson C, Marshall C, Conrick D and Choy S (2002). Impact of landuse on ecological water quality in the Mitchell River catchment, North Queensland. *Freshwater Biological*

Monitoring Report #38, Queensland Department of Natural Resources and Mines, Brisbane.

Thorburn DC, Morgan DL, Rowland AJ and Gill H (2004). Elasmobranchs in the Fitzroy River, Western Australia. Report prepared by the Centre for Fish and Fisheries Research, Murdoch University, for the Natural Heritage Trust.

Tien AT (2006). *Influence of Deep Aquifer Springs on Dry Season Water Quality in Darwin Rural Area*, Department of Natural Resources, Environment and the Arts, Darwin.

Townsend SA, Boland KT and Wriggley TJ (1992). Factors contributing to a fish kill in the Australian wet/dry tropics. *Water Research* 26:1039–1044.

Townsend SA and Padovan AV (2009). A model to predict the response of the benthic macroalga *Spirogyra* to reduced base flow in the tropical Australia. *River Research and Applications* 25:1193–1203.

Traill LW, Bradshaw CJA, Field HE and Brook BW (2009). Climate change enhances the potential impact of infectious disease and harvest on tropical waterfowl. *Biotropica* 41:414–423.

Trayler K, Malseed B and Brainbridge M (2006). Environmental values, flow related issues and objectives for the lower Ord River, Western Australia. Report # EWR1, Department of Water, Perth.

van Dam R, Bartolo R and Bayliss P (2008). Identification of ecological assets, pressures and threats. In: *Ecological Risk Assessment for Australia's Northern Tropical Rivers. Sub-project 2 of Australia's Tropical Rivers—an Integrated Data Assessment and Analysis*, Bartolo R, Bayliss P and van Dam R (eds), report to Land & Water Australia, Environmental Research Institute of the Supervising Scientist, Darwin.

van Dam RA, Camilleri C, Bayliss P and Markich SJ (2004). Ecological risk assessment of Tebuthiuron on a tropical Australian wetland. *Human and Ecological Risk Assessment* 10:1069–1097.

van Dam R, Hogan A, Harford A and Markich S (2008b). Toxicity and metal speciation characterisation of waste water from an abandoned gold mine in tropical northern Australia. *Chemosphere* 73:305–313.

van Dam RA, Humphrey CL and Martin P (2002). Mining in the Alligator Rivers Region, northern Australia: assessing potential and actual effects on ecosystem and human health. *Toxicology* 181–182:505–515.

Vörösmarty CJ, McIntyre B, Gessner MO, Dudgeon D, Prusevich A, Green P, Glidden S, Bunn SE, Sullivan CA, Reidy Liermann C and Davies PM (2010). Global threats to human water security and river biodiversity. *Nature* 467:555–561.

Wasson RJ, Furlonger L, Parry D, Pietsch T, Valentine E and Williams D (2010). Sediment sources and channel dynamics, Daly River, Northern Australia. *Geomorphology* 114:161–174.

- Webb AC (2007). Status of non-indigenous freshwater fishes in tropical north Queensland, including establishment success, rates of spread, range and introduction pathways. *Journal and Proceedings of the Royal Society of New South Wales* 140:63–78.
- Webster IT, Rea N, Padovan AV, Dostine P, Townsend SA and Cook S. (2005) An analysis of primary production in the Daly River, a relatively unimpacted tropical river in northern Australia. *Marine and Freshwater Research* 56:303–316.
- Webb I, Hateley L, Nelson P and Dwyer M (2005). *Salinity Risk in the Cattle Creek Sub-catchment of the Mitchell River, Queensland*, Department of Natural Resources, Mines and Water, Mareeba, QNRM06204.
- Welch M, Schult J and Padovan A (2008). Effects of urban stormwater on heavy metal and nutrient concentrations in mangrove sediments of Darwin Harbour. Report 08/2008D, Department of Natural Resources, Environment, the Arts and Sport, Darwin.
- Werner PA, Cowie ID and Cusack JS (2006). Juvenile tree growth and demography in response to feral water buffalo in savannas of northern Australia: an experimental field study in Kakadu National Park. *Australian Journal of Botany* 54:283–296.
- Wilson GDF, Humphrey CL, Colgan DJ, Gray KA and Johnson RN (2009). Monsoon-influenced speciation patterns in a species flock of *Eophreatoicus* Nicholls (Isopoda; Crustacea). *Molecular Phylogenetics and Evolution* 51:349–364.
- Winn KO, Saynor MJ, Eliot MJ and Eliot I (2006). Saltwater intrusion and morphological change at the mouth of the East Alligator River, Northern Territory. *Journal of Coastal Research* 22:137–149.
- Woinarski J, Mackey B, Nix H and Traille B (2007). *The Nature of Northern Australia: Natural Values, Ecological Processes and Future Prospects*, ANU E Press, Canberra.

The social, cultural and economic significance of tropical aquatic ecosystems: a diversity of values

- Abel N and Rolfe J (2009). Public and private conservation of aquatic systems in northern Australia. In: *Northern Australia Land and Water Science Review*, Department of Infrastructure, Transport, Regional Development and Local Government, Canberra, Chapter 12.
- Altman J (1987). *Hunter Gatherers Today; an Aboriginal Economy in North Australia*, Australian Institute of Aboriginal Studies, Canberra.
- Altman J (2010). Wild rivers and informed consent on Cape York. CAEPR Topical Issue No. 02/2010, ANU Centre for Aboriginal Economic Policy Research, Canberra.
- Altman J, Jordan K, Kerins S, Buchanan G, Biddle N, Ens E and May K (2009). Indigenous interests in land and water. In: *Northern Australia Land and Water Science Review*, Department of Infrastructure, Transport, Regional Development and Local Government, Canberra, Chapter 7.
- Ascher W and Steelman T (2006). Valuation in the environmental policy process. *Policy Sciences* 39:73–90.
- Bateman I, Carson R, Day B, Hanemann M, Hanleys N, Hett T, Jones-Lee M, Loomes G, Mourato S, Ozdemiroglu E, Pearce D, Sugden R and Swanson J (2002). *Economic Valuation with Stated Preference Techniques: a Manual*, Edward Elgar, Cheltenham, UK.
- Carson D, Taylor A and Campbell S (2009). Demographic trends and likely futures for Australia's tropical rivers, online text, Land and Water Australia, Canberra.
www.track.gov.au/publications/registry/770 (Viewed by author 28 November, 2009)
- Clark E, Able N, Measham T, Morison J and Ripplin L (2009a). Commercial fishing and aquaculture in northern Australia. In: *Northern Australia Land and Water Science Review*, Department of Infrastructure, Transport, Regional Development and Local Government, Canberra, Chapter 9.
- Clark E, Able N, Measham T, Morison J and Ripplin L (2009b). Water based tourism and recreation in northern Australia. In: *Northern Australia Land and Water Science Review*, Department of Infrastructure, Transport, Regional Development and Local Government, Canberra, Chapter 11.
- Davidson B (1972). *The Northern Myth: Limits to Agricultural and Pastoral Development in Tropical Australia*, Melbourne University Press, Melbourne.
- Delisle A (2009). Perceived costs and benefits of Indigenous hunting of dugongs and marine turtles: Mabuiag Island as a case study. Paper presented at the Australian and New Zealand Ecological Economics Society Conference, Darwin, October 2009.
- Driml S (1994). *Protection for Profit*, Great Barrier Reef Marine Park Authority, Townsville.
- Garrod G and Willis K (1999). *Economic Valuation of the Environment*, Edward Elgar, Cheltenham, UK.

- Getzner M, Spash C and Stagl S (2005). *Alternatives for Environmental Valuation*, Routledge, New York.
- Greiner R, Larson S, Herr A and Pinger P (2005). *Independent Travellers in the North Kimberley: Benefits, Impacts and Management Challenges*, CSIRO Sustainable Ecosystems, Townsville and Tropical Savannas CRC, Darwin.
- Greiner R, Gordon I and Cocklin C (2009). Ecosystem services from tropical savannas: economic opportunities through payments for environmental services. *The Rangeland Journal* 31:51–59.
- Hajkowicz S (2006). Multi-attributed environmental index construction. *Ecological Economics* 57:122–139.
- Henry G and Lyle J (2003). The National Recreational Fishing Survey, FRDC Project No. 99/158, NSW Fisheries Final Report Series.
- Holmes J (2006). Diversity and change in Australia's rangeland regions: translating resource values into regional benefits. *Rangeland Journal* 19:3–25.
- Holmes J (2010). The multifunctional transition in Australia's tropical savannas: the emergence of consumption, protection and indigenous values. *Geographical Research* 48:265–280.
- Imber D, Stevenson G and Wilks L (1991). *A Contingent Valuation Survey of the Kakadu Conservation Zone*, Resource Assessment Commission, Canberra.
- Jackson S (2004). Preliminary report on Aboriginal perspectives on land-use and water management in the Daly River region, Northern Territory. Unpublished report to the Northern Land Council and the Daly Region Community Reference Group, CSIRO, Darwin.
- Jackson S (2005). Indigenous values and water resource management: a case study from the Northern Territory. *Australasian Journal of Environmental Management* 12:136–146.
- Jackson S and Altman J (2009). Indigenous rights and water policy: perspectives from tropical north Australia. *Australian Indigenous Law Review* 13:27–48.
- Jackson S and Morrison J (2007). Indigenous perspectives on water management, reforms and implementation. In: *Managing Water for Australia: the Social and Institutional Challenges*, Hussey K and Dovers S (eds), CSIRO, Melbourne.
- Jackson S and O'Leary P (2006). Indigenous interests in tropical rivers: research and management issues. Report to Land & Water Australia, North Australian Indigenous Land & Sea Management Alliance, Darwin.
- Jackson S, Stoeckl N, Straton A and Stanley O (2008). The changing value of Australian tropical rivers. *Geographical Research* 46(3):275–290.

- Jacobsen JB and Hanley N (2009). Are there income effects on global willingness to pay for biodiversity conservation? *Environmental and Resource Economics* 43:137–160.
- Kahle L (1983). *Social Values and Social Change: Adaptation to Life in America*, Praeger Publishers.
- Knapman B and Stanley O (1991). *A Travel Cost Analysis of the Recreational Value of Kakadu National Park*, Resource Assessment Commission, Canberra.
- Larson S (2009). Communicating stakeholder priorities in the Great Barrier Reef region. *Society and Natural Resources* 22:650–664.
- Larson S (in press). The socio-economic features of Northern Australia. In: *North Australian Political Economy: Issues and Agendas*, Gerritsen R (ed), CDU Press, Darwin.
- Larson S and Alexandridis K (2009). Socio-economic profiling of tropical rivers, online text, Land and Water Australia, Canberra. www.track.gov.au/publications/registry/422 (Viewed by author 28 November 2009)
- Langton M (2002). Freshwater. In: *Background Briefing Papers: Indigenous Rights to Waters*, Lingiari Foundation, Broome.
- Langton M (2006). Earth, wind, fire and water: the social and spiritual construction of water in Aboriginal societies. In: *The Social Archaeology of Australian Indigenous Landscapes*, David B, Barker B and McNiven (eds), Aboriginal Studies Press, Canberra, 139–160.
- McGrath A (1987). *Born in the Cattle*, Allen and Unwin, Sydney.
- MEA (Millennium Ecosystem Assessment) (2005). *Millennium Ecosystem Assessment: Ecosystems and Human Well-being*, Island Press, Washington, DC.
- Miller D (2008). The uses of value. *Geoforum* 39:1122–1132.
- Northern Australia Land and Water Taskforce (2009). *Sustainable Development in Northern Australia*, report to government from the Northern Australia Land and Water Taskforce, Department of Infrastructure, Transport, Regional Development and Local Government, Canberra.
- Northern Territory Government (2009). *Living Rivers: Sustaining Landscapes, Livelihoods and Lifestyles, a Discussion Paper for Framing a Living Rivers Strategy*, Department of Natural Resources, Environment, Tourism and the Arts, Darwin.
- Orr P, Covin J and King D (2007). Involving stakeholders in integrated river basin planning in England and Wales. *Water Resources Management* 21:331–349.
- Palmer L (2004). Fishing lifestyles: 'Territorians', traditional owners and the management of recreational fishing in Kakadu National Park. *Australian Geographical Studies* 42:60–76.

- Powell JM (1991). *Plains of Promise, Rivers of Destiny: Water Management and the Development of Queensland, 1824–1990*, Boolarong Publications, Brisbane.
- Powell JM (2000). Snakes and cannons: water management and the geographical imagination in Australia. In: *Environmental History and Policy: Still Settling Australia*, Dovers S (ed), Oxford University Press, South Melbourne, 47–71.
- Prayaga P, Rolfe J and Stoeckl N (2010). The value of recreational fishing in the Great Barrier Reef, Australia: A pooled revealed preference and contingent behaviour model. *Marine Policy* 34:244–251.
- Rietbergen-McCracken J and Abaza H (2000). *Environmental Valuation: a Worldwide Compendium of Case Studies*, Earthscan, London.
- Robinson J (2001). *The Economic Value of Australia's Estuaries: A Scoping Study*, CRC for Coastal Zone, Estuary and Waterway Management, Brisbane.
- Rolfe J and Prayaga P (2007). Estimating values for recreational fishing at freshwater dams in Queensland. *Agricultural and Resource Economics* 51:157–174.
- Stoeckl N, Smith A, Newsome D and Lee D (2005). Regional economic dependence on iconic wildlife tourism: case studies of Monkey Mia and Hervey Bay. *Journal of Tourism Studies* 16(1):69–81.
- Stoeckl N, Stanley O, Brown V, Jackson S and Straton A (2006a). An assessment of social and economic values of Australia's tropical rivers: a scoping report to Land and Water Australia's Tropical Rivers Program, Darwin.
- Stoeckl N, Greiner R and Mayocchi C (2006b). The community impacts of different types of visitors: an empirical investigation of tourism in North West Queensland. *Tourism Management* 27(1):97–112.
- Stoeckl N and Stanley O (2007). Key industries in Australia's Tropical Savanna. *Australasian Journal of Regional Studies* 13:255–286.
- Storey K (2001). Fly-in/fly-out and fly-over: mining and regional development in Western Australia. *Australian Geographer* 32:133–148.
- Strang V (2005). Water works: agency and creativity in the Mitchell River catchment. *Australian Journal of Anthropology* 16:366–381.
- Straton A and Zander K (2009). *The Value of Australia's Tropical Ecosystem Services*, Charles Darwin University, Darwin.
- Sutton S (2006). An assessment of the social characteristics of Queensland's recreational fishers. CRC Reef Research Centre Technical Report No. 65, Townsville.

- Syme GN and Hatfield Dodds S (2007). The role of communication and attitudes research in the evolution of effective resource management arrangements. In: *Managing Water for Australia: the Social and Institutional Challenges*, Hussey K and Dovers S (eds), CSIRO, Melbourne, 11–22.
- Syme G, Porter N, Goeft U and Kington E (2008). Integrating social well being into assessments of water policy: meeting the challenge for decision makers. *Water Policy* 10:323–343.
- Tan P (2008). Collaborative water planning: legal and policy analysis. Volume 3, *TRaCK*, Griffith University, Brisbane.
- Taylor J (2003). Indigenous economic futures in the Northern Territory: the demographic and socioeconomic background. Discussion Paper No. 246, Canberra Centre for Aboriginal Economic Policy Research, Australian National University, Canberra.
- Taylor A, Larson S, Stoeckl N and Carson D (in press). The haves and have nots in Australia's Tropical North—new perspectives on a persisting problem. *Geographical Research*.
- Toussaint S (2010). Fitzroy Valley Indigenous groups and the multi-criteria value of fish and fishing. Unpublished Report by University of Western Australia, Crawley.
- Toussaint S, Sullivan P and Yu S (2005). Water ways in Aboriginal Australia: an interconnected analysis. *Anthropological Forum* 15:61–74.
- Toussaint S, Sullivan P, Yu S and Mularty M (2001). Fitzroy Valley Indigenous cultural values study. Report for the Water and Rivers Commission, Centre for Anthropological Research, University of Western Australia, Perth.
- Ungunmerr M (2003). Preface. In: *Dadirri—the Spirit Within*, Farrelly E (ed), Terry Knight & Associates, Darwin, vii–ix.
- Walker KJ (1973). The politics of national development: the case of the Ord River scheme. *Journal of Public Administration* 32:93–113.
- Welters R (in press). Atypical labour markets require atypical policy solutions. In: *North Australian Political Economy: Issues and Agendas*, Gerritsen R (ed), CDU Press, Darwin.
- Whitehead P, Storrs M, McKaige M, Kennett R and Douglas M (1999). *Wise Use of Wetlands in Northern Australia: Indigenous Use*, Centre for Tropical Wetlands Management & Centre for Indigenous Natural and Cultural Resource Management, Charles Darwin University, Darwin.
- Williams D (2000). Values discourse and discursive democracy in natural resource planning. *International Symposium on Society and Natural Resource Management*, Bellingham, Washington.
- Willis K, Button K and Nijkamp P (1999). *Environmental Valuation*, Edward Elgar, Northampton.

Indigenous community-based management of tropical freshwater systems

- Altman J, Buchanan G and Larsen L (2007). *The Environmental Significance of the Indigenous Estate: Natural Resource Management as Economic Development in Remote Australia*, ANU Centre of Aboriginal Economic Policy Research, Canberra.
- Altman J (2004). Economic development and Indigenous Australia: contestation over property, institutions and ideology. *Australian Journal of Agricultural and Resource Economics* 48:513–534.
- Altman J and Jackson S (2008). Indigenous land and sea management. In: *Ten Commitments: Reshaping the Lucky Country's Environment*. Lindenmayer D, Dovers S, Harriss Olson M and Morton S (eds), CSIRO Publishing, Melbourne, 207–214.
- Altman J and Whitehead P (2003). *Caring for Country and Sustainable Indigenous Development: Opportunities, Constraints and Innovation*. ANU Centre for Indigenous Economic Policy Research, Canberra.
- Ashley M, Storrs MJ and Brown M (2002). Caring for Country: Community based Mimosa management on Aboriginal lands of the Top End of the Northern Territory. In: *Proceedings of the 3rd International Mimosa Symposium*, Julien M, Flanagan G, Heard T, Hennecke B, Paynter Q and Wilson C (eds), CSIRO, Darwin, 106–109.
- Baker R, Davies J and Young E (eds) (2001). *Working on Country: Contemporary Indigenous Management of Australia's Lands and Coastal Regions*. Oxford University Press, Oxford.
- Chan T, Hart B, Kennard M, Pusey B., Shenton W, Douglas M, Valentine E. and Patel S. (2010). Bayesian networking models for environmental flow decision making: 2. Daly River, Northern Territory, Australia. *River Research and Applications*. DOI: 10.1002/rra.1456
- Cook G, Jackson S and Williams R (in press). A revolution in northern Australian fire management: recognition of Indigenous knowledge, practice and management. In: *Flammable Australia*, 2nd edition, Bradstock R, Gill AM and Williams R (eds), CSIRO Publishing, Melbourne.
- Cooke P (1999). Preface. In: *Wise Use of Wetlands in Northern Australia: Indigenous Use*, Whitehead P, Storrs M, McKaige M, Kennett R and Douglas M (eds), Centre for Tropical Wetlands Management & Centre for Indigenous Natural and Cultural Resource Management, Charles Darwin University, Darwin.
- Daiyi N, Ford L and Bird-Rose D (2002). Life in country: ecological restoration on Aboriginal homelands. *Cultural Survival: Nurturing the Sacred in Aboriginal Australia* 26(2):11–12.

- Douglas MM, Finlayson CM and Storrs MJ (1998). Weed management in tropical wetlands of the Northern Territory, Australia. In: *Wetlands in a Dry Land: Understanding for Management*, Williams WD (ed.), Environment Australia, Canberra, 238–251.
- Gardener M (2005). *Towards More Strategic Management of Weeds on Top End Aboriginal Lands*, Tropical Savannas Cooperative Research Centre, James Cook University, Townsville.
- Frank B (2008). Foreword. In: *Managing Aboriginal Lands and Culture: A Reference Document for Potential Supporters of Kowanyama Aboriginal Land and Natural Resources Management Office*, Sinnamon V, Munnelly C, O'Brien R and Kerr K (eds), Kowanyama Aboriginal Land and Natural Resources Management Office, Kowanyama, 23.
- Green D, Jackson S and Morrison J (2009). *Risks from Climate Change to Indigenous Communities in the Tropical North of Australia*, Department of Climate Change and Energy Efficiency: Canberra.
- Horstman M (2001). *Fish of Bandarlngarri - Fish of the Fitzroy River, Kimberley Western Australia*. Project progress report, Land and Sea Management Unit, Kimberley Lands Council, Kimberley.
- Jackson S (2005). Managing for Indigenous cultural values of water in freshwater protected areas. In: *Freshwater Protected Areas: New and Existing Tools for Conserving Freshwater Ecosystems in Australia*, Proceedings of the Freshwater Protected Areas Conference, Sydney, 27–28 September 2004, Inland Rivers Network and WWF-Australia, Sydney, 51–52.
- Jackson S and Altman J (2009). Indigenous rights and water policy: perspectives from tropical north Australia. *Australian Indigenous Law Review* 13:27–48.
- Jackson S and Douglas M (2007). A case for Indigenous water management. In: *Investing in Indigenous Natural Resource Management*, Luckert MK, Campbell BM, Gorman JT and Garnett ST (eds), Charles Darwin University, Darwin, 53–61.
- Jackson S and O'Leary P (2006). *Indigenous Interests in Tropical Rivers: Research and Management Issues*. Report to Land and Water Australia, North Australian Indigenous Land & Sea Management Alliance, Darwin.
- Jackson S, Storrs M and Morrison J (2005). Recognition of Aboriginal rights, interest and values in river research and management: perspectives from northern Australia. *Ecological Management and Restoration* 6:105–110.
- KALNRMO (Kowanyama Aboriginal Land and Natural Resources Management Office) (2008). *Managing Aboriginal Lands and Culture: A Reference Document for Potential Supporters of Kowanyama Aboriginal Land and Natural Resources Management Office*, Sinnamon V, Munnelly C, O'Brien R and Kerr K (eds), KALNRMO, Kowanyama, 23.

- Kennett R, Jackson M, Morrison J and Kitchens J (2010). Indigenous rights and obligations to manage traditional land and sea estates in north Australia: the role of Indigenous rangers and the I-Tracker Project collection and management program across north Australia. *Policy Matters* 17:135–142.
- Luckert MK, Campbell BM, Gorman JT and Garnett ST (eds) (2007). *Investing in Indigenous Natural Resource Management*, Charles Darwin University Press, Darwin.
- Mahney T (2004). *Environmental Management Status Reports for Aboriginal Lands in the Northern Land Council Region*, Northern Land Council, Darwin.
- McGregor S, Lawson V, Christophersen P, Kennett R, Boyden J, Bayliss P, Liedloff A, McKaige B and Andersen AN (2010). Indigenous wetland burning: conserving natural and cultural resources in Australia's World Heritage-listed Kakadu National Park. *Human Ecology* 38:721–729.
- Morgan D, Allen M, Bedford P and Horstman M (2002). *Inland Fish Fauna of the Fitzroy River Western Australia (including the Bunuba, Gooniyandi, Ngarinyin, Nyikina and Walmajarri names)*, report to the Natural Heritage Trust, project number 003123, National Heritage Trust, Canberra.
- Morgan D, Cheinmora D, Charles A, Nulgit P and Kimberley Language Resource Centre (2006). *Fishes of the King Edward and Carson Rivers with their Belaa and Ngarinyin names*, report to Land and Water Australia, project number UMU22, Land and Water Australia, Canberra.
- Morgan D, Thorburn D, Fenton J, Wallace-Smith H and Goodson S (2005). *Influence of the Camballin Barrage on Fish Communities in the Fitzroy River, Western Australia*, Murdoch University, Kimberley Land Council, Department of Environment report to Land and Water Australia, Land and Water Australia, Canberra.
- O'Faircheallaigh C and Corbett T (2005). Indigenous participation in environmental management of mining projects: the role of negotiated agreements. *Environmental Politics* 14:629–647.
- Putnis A, Josif P and Woodward E (2007). *Healthy Country, Healthy People: Supporting Indigenous Engagement in the Sustainable Management of Northern Territory Land and Seas*. CSIRO, Darwin.
- Russell-Smith J, Ryan P. and Durieu R. (1997). A LANDSAT MSS-derived fire history of Kakadu National Park, monsoonal northern Australia, 1980-94: seasonal extent, frequency and patchiness. *Journal of Applied Ecology* 34:748-766.
- Sharp N (1998). Handing on the right to fish: the law of the land and cross-cultural co-operation in a gulf community in Australia. *Pacific Conservation Biology* 4:95–104.
- Storrs M (1999). The Northern Land Council's Caring for Country Unit and the Top End Indigenous People's Wetland Program. In: *Wise Use of Wetlands in Northern Australia: Indigenous Use*, Whitehead P, Storrs M, Mckaige M, Kennett R and Douglas M (eds), Centre for

Tropical Wetlands Management & Centre for Indigenous Natural and Cultural Resource Management, Charles Darwin University, Darwin, 51–52.

Storrs M and Finlayson M (1997). *Overview of the Conservation Status of Wetlands of the Northern Territory*, Supervising Scientist, Canberra.

Storrs M, Yirbarbuk D, Whitehead P and Finlayson C (2001). The role of western science in contemporary Aboriginal community wetlands management in the Top End of Australia. In: *Science and Local Communities: Strengthening Partnerships for Effective Wetland Management*, Carbonnell M, Nathai–Gyan N and Finlayson C (eds), Ducks Unlimited Inc., Memphis, Tennessee, 7–13.

Strang V (2001). Negotiating the river: cultural tributaries in Far North Queensland. In: *Contested Landscapes: Movement, Exile and Place*, Bender B and Winer M (eds), Berg Publishers, Oxford, 69–86.

Thackway R, Szabo S and D. Smyth (1996). Indigenous Protected Areas: A New Concept in Biodiversity Conservation, *Biodiversity: Broadening the Debate*. Australian Nature Conservation Agency, Canberra.

Thorburn D, Morgan D, Gill H, Johnson M, Wallace-Smith H, Vigilante T, Gorring A, Croft I and Fenton J (2004a). *Biology and Cultural Significance of the Freshwater Sawfish (Pristis microdon) in the Fitzroy River Kimberley, Western Australia*, report to the Threatened Species Network, WWF-Australia, Sydney.

Thorburn DC, Morgan DL, Rowland AJ and Gill H (2004b). *Elasmobranchs in the Fitzroy River, Western Australia*, report to the Natural Heritage Trust, National Heritage Trust, Canberra.

Thurtell L, Finlayson C, Yirbarbuk D and Storrs M (1999). *The Blyth-Liverpool Wetlands, Arnhem Land, Northern Australia: Information for Management Planning*, Supervising Scientist, Canberra.

Whitty JM, Morgan DL, Peverell SC, Thorburn DC and Beatty SJ (2009). Ontogenetic depth partitioning by juvenile freshwater sawfish (*Pristis microdon*: Pristidae) in a riverine environment. *Marine and Freshwater Research* 60:306–316.

Whitehead P (2002). *A submission to the House of Representatives Standing Committee on Indigenous and Torres Strait Islander Affairs: Inquiry on Capacity Building in Indigenous Communities*. Key Centre for Tropical Wildlife Management, Northern Territory University. Darwin.

Woinarski J (2002). Biodiversity Audit – Bioregional Summaries: Compilation of Individual Summaries for the National Land and Water Resources Audit. NT Parks and Wildlife Service, Darwin, <http://www.nt.gov.au/nreta/wildlife/nature/bioregional.html>.

